

**IN THE UNITED STATES DISTRICT COURT
FOR THE NORTHERN DISTRICT OF ILLINOIS
WESTERN DIVISION**

THE UNITED STATES OF AMERICA and)

)

THE STATE OF ILLINOIS)

)

Plaintiffs,)

)

v.)

Civil Action No. 3:15cv50250

)

THE CITY OF ROCKFORD, ILLINOIS,)

)

)

Defendant.)

)

**CONSENT DECREE
APPENDIX E**



PESTICIDE, HERBICIDE AND FERTILIZER APPLICATIONS

STANDARD OPERATING PROCEDURES FOR CITY OF ROCKFORD

1.0 GENERAL

The purpose of this standard operating procedure is to comply with Part II, A, 6, a of the City of Rockford's NPL Stormwater Permit (ILS000001). This document addresses City of Rockford procedures when applying pesticides, herbicides and fertilizers on City owned properties.

2.0 LICENSING/PERMITTING

The City of Rockford has submitted and received the IEPA General NPDES Permit for Pesticide Application Point Source Discharges (ILG870147). The City is a Level 1 applicator based on IEPA's designations and shall base their application procedures on those requirements. In addition, City of Rockford employees who apply pesticides, herbicides & fertilizers shall be trained and licensed through the Illinois Department of Agriculture's (IDOA), Pesticides Use and Regulation Program (<http://www.agr.state.il.us/Environment/Pesticide/usereg.html>). As licensed employees are within the street division all training and management of licensing shall be tracked by the Forestry Supervisor.

The City requires all contracted applicators to comply with these and any other applicable requirements. Proof of Licensing shall be provided to the City prior to execution of City contracts.

3.0 PROCEDURES

3.1 General

Staff applying chemicals shall wear all appropriate personal protective equipment and fully understand their rights to know what chemicals they are applying through the availability of on-site Material Safety Data Sheets.

- a. Though the City does not presently apply fertilizers, future applications will be based on soil test results prior to application to avoid the economic and environmental costs that can be incurred with excess fertilizer use.
- b. Staff and contractors will follow label directions when storing, handling, mixing, recycling, and disposing of chemicals and empty containers.
- c. Applicators shall make every effort not to transfer, pour or dispose of chemicals indoors. When those activities occur outdoors, handling of chemicals shall be a minimum of fifty (50) feet from storm drains, or drainageways.
- d. Staff and contractors will have spill cleanup materials available in case of a spill and clean up chemical spills promptly with dry methods, if possible. All spills shall be reported to their supervisor immediately and documented. Report shall indicate: location, chemical spilled, approximate quantity, and how it was cleaned up. The Stormwater and Environmental Team (SWET) shall be notified within 24 hours of the spill and shall initiate an illicit discharge investigation as detailed in the Illicit Discharge Detection and Elimination Program Standard Operating Procedures. The Fire Department Hazardous Material Team or 911 Emergency shall be notified for any spill that exceeds the threshold quantity as noted on its Safety Data Sheet.
- e. Spill Kits are located in the chemical storage room at the City Yards.

3.2 Application

- a. All pesticides, herbicides and fertilizers shall be used strictly in accordance with their labels, ILG87 and all applicable federal, state, and local laws, regulations, and ordinances, as applicable.
- b. Always follow the manufacturer's recommendation on handling and applying the chemicals.
 1. Chemicals should not be applied during rain storms, within 24 hours of a forecast rain storm or while the area is being irrigated.
 2. Chemicals should not be applied right before or during high-wind events nor should any chemical susceptible to drift be applied if wind conditions are likely to exceed 5 MPH.
 3. Apply only the recommended amounts of chemicals. Chemical application in excess of the manufacturers label is not an environmentally responsible practice and could promote excessive runoff or soil leaching.
- c. Use caution not to overspray (applying in an undesired location) the chemicals onto an impervious surface, such as a sidewalk or roadway and clean up all over-sprayed chemicals.
- d. Do not apply landscape chemicals to frozen ground or during snow melt.
- e. Do not over water recently fertilized areas to minimize the amount of runoff into streets and into storm drains.
- f. Only mix enough chemical to complete the application. Excess or expired chemicals shall be returned to the supplier for proper disposal.

3.3 Application Schedule

The following is a list of City maintained locations and approximate pesticide / herbicide application schedules for the targeted areas within the City of Rockford (Appendix A – Detailed application schedule):

- a. Sidewalks – May 1st thru June 30th
- b. Raised Medians – May 1st thru June 30th (Attachment B).
- c. Paved Ditches - June 1st thru July 31st
- d. Creeks – July 31st thru October 31st
- e. Ash Trees – June 1st thru August 31st - City-wide (Attachment C)

Note: This is a tentative schedule; actual schedule may vary due to weather conditions.

A log shall be kept indicating the amount of chemicals used during each application event.

3.4 Chemical Storage

All chemicals shall be stored according to label directions and shall not exceed threshold quantities as stated on the Safety Data Sheets.

All herbicides, fungicides and insecticides shall be stored in an enclosed, secure building at the maintenance facility. The materials shall be stored in accordance with all current federal, state and local laws, regulations and ordinances. Access to the storage area should be limited to licensed pesticide operators or applicators. Non-licensees requesting access to the storage area for any reason should be accompanied by a licensed pesticide operator or applicator.

3.5 Application Equipment

The following items shall be required for maintenance and use of application equipment:

- a. No sprayer should be used that is not approved for the type of chemical being applied.
- b. Spreaders shall be used to apply materials that are available only in granular forms.
- c. Fertilizers and pesticides should be loaded into application equipment over impervious surfaces, so that any spills can be cleaned without seeping into ground water.
- d. Properly calibrate application equipment according to manufactures instructions to ensure the recommended amount of chemical is applied.

- e. To avoid build up and cross contamination, application equipment shall be cleaned after each use. Cleaning shall be completed according to manufacturer's recommendations.

4.0 EMPLOYEE TRAINING

All training shall be in accordance with the Standard Operating Procedures for Stormwater and Environmental Education. Training shall also be completed as required by the employee's IDOA Pesticides Applicators License. Records of employee training will be maintained by the Forestry Supervisor in the Street Division.

5.0 RECORD KEEPING

All application and maintenance records for the City of Rockford shall be kept by the Street Division of Public Works. For contracted PHF applications the Street Division shall receive copies of the maintenance records from the contractor by December 15th of every year or as directed otherwise.

Attachment A



Timothy S. Hanson
Director of Public Works
Department of Public Works

May 16, 2013

RE: Application of Pesticide/Herbicide and related schedule.

The following is a list of locations and approximate pesticide / herbicide application schedules for the targeted areas within the City of Rockford:

1. Sidewalks – May 1st thru June 30th
 - a. CBD – Area bordered by 4th St. on the east, Winnebago St. on the west, Jefferson St./Park Ave. on the north and Cedar St./Chestnut St. / Walnut St. on the south.
 - b. CBD – 7th St. between E. State St. and 6th Ave.
 - c. CBD – Broadway between 6th St. and 9th St.
2. Raised Medians – May 1st thru June 30th (see attached list for locations).
3. Paved Ditches - June 1st thru July 31st
 - a. Northwest Drainage Ditch – Between W. Riverside Blvd. and Kent Creek.
 - b. Westleyan / SE Drainage Ditch – Between Ohio Pkwy. and Kishwaukee St.
 - c. Upland / Holmes Drainage Ditch – Between Wilmette Ct. and Harrison Ave.
4. Creeks – July 31st thru October 31st
 - a. Keith Creek – Between Fairview Blvd. and Kishwaukee St. (Incremental, applied over a 5 year period).
 - b. Kent Creek – Between Central Ave. and Cedar St. (Incremental, applied over a 3 year period).
5. Ash Trees – June 1st thru August 31st - City-wide (see attached list)

Note: This is a tentative schedule; actual schedule may vary due to weather conditions.

Attachment B

MEDIAN LIST

	LIN FT	START	COMP
RIVERSIDE FROM N MAIN TO ROBEY AVE	258		
MAIN FROM RIVERBLUFF TO ELMWOOD	5847		
CENTRAL FROM LIBERTY TO 50' SOUTH OF AUBURN	1090		
AUBURN ST FROM SUNSET TO OAKLEY	574		
RIDGE AVE 40' NORTH AND SOUTH OF AUBURN	100		
RIDGE 100' NORTH OF WHITMAN	100		
SOUTH BOUND 2 ND ST OFF RAMP FROM WHITMAN BRIDGE (LONG MEDIAN)	1064		
FOREST HILLS 200' SOUTH OF LANDSTROM	450		
N 2 ND ST FROM WHITMAN TO SPRING CREEK	2863		
N 2 ND ST JERSEY WALL OVER SPRING CREEK BRIDGE	3118		
WHITMAN FROM N MAIN TO N 2 ND ST	2757		
WHITMAN FROM N MAIN TO LEE ST	1882		
KILBURN FROM JEFFERSON TO BRUCE	2357		
SCHOOL ST 100' EAST AND WEST OF CENTRAL	200		
KILBURN FROM SAFFORD TO 100' EAST OF CENTRAL	480		
CENTRAL 200' NORTH AND SOUTH OF KILBURN	300		
CENTRAL 100' NORTH AND SOUTH OF HALSTED	200		
CENTRAL 100' NORTH AND SOUTH OF RIVERSIDE	200		
RIVERSIDE WEST OF CENTRAL	825		
SPRING CREEK FROM RIVER TO STARKWEATHER	393		
SPRING CREEK FROM 150' WEST OF ALPINE TO 200' EAST OF SPRINGBROOK	830		
SPRING CREEK FROM SHAW WOODS TO TANGLEWOOD	3383		
ALPINE FROM RIVERSIDE TO BROOKVIEW	676		
ALPINE FROM DEMPSTER TO 150' SOUTH OF HARRISON	5997		
PINE FROM SAMUELSON TO SANDY HOLLOW	4740		
HARRISON FROM S MAIN TO PRAIRIE RD	1180		
HARRISON FROM 18 TH ST TO ALPINE	7261		
HARRISON FROM ALPINE TO MULFORD (NEW 08)	7210		
20 TH ST FROM ALTON TO CENTER ST	1113		
BROADWAY FROM ALPINE TO POINT	786		
NEWBURG FROM ALPINE TO QUENTIN RD	643		
NEWBURG 200' EAST AND WEST OF MULFORD	1074		
CHARLES ST FROM 28 TH ST TO PARKSIDE	2618		
FAIRVIEW BLVD 100' NORTH AND SOUTH OF MORSAY DR	150		
MORSAY 150' EAST OF FAIRVIEW	350		
MULFORD FROM HARRISON TO E RIVERSIDE	25533		
SPRINGBROOK 150' EAST OF PERRYVILLE	290		
BELL SCHOOL 100' SOUTH OR RIVERSIDE	100		
E STATE FROM LYFORD TO MILL RD	6097		
E STATE FROM MILL RD TO ROXBURY	5595		
COLLEGE EAST AND WEST OF SEMINARY	185		
MORGAN ST BRIDGE WALL EAST AND WEST	2026		
	101,830		

Attachment C

Emerald Ash Borer Treatment Log as of August 26, 2015

EAB TREATMENTS - SW					PESTICIDE USED			ACTIVE INGREDIENT		
					TREE-AGE			IMMECTIN BENZOATE		
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	Previous HANSEN REQUEST #	COMMENTS	
1	5-19-15	1209 Corbin St.	4	10	50	Myron Cottage	47° cloudy	*144229	Slow uptake	
2	"	1215 Corbin St.	2	21	120	Myron Cottage	47° cloudy	*144230		
3	"	1127 Corbin St.	0	25	160	Myron Cottage	47° cloudy	*144242		
4	"	1117 Corbin St.	4	22	135	Myron Cottage	47° cloudy	*144243		
5	"	909 Corbin St.	2	17	85	Myron Cottage	47° cloudy	*144245		
6	"	825 Kent St.	22	23	150	Myron Cottage	51° cloudy	*144244		
7	"	907 Kent St.	2	19	100	Myron Cottage	51° cloudy	*146956		
8	5-20-15	1215 Kent St.	2	9	40	Myron Cottage	42° cloudy	*146959		
9	"	"	6	9	40	Myron Cottage	42° cloudy	*146959		
10	"	906 Rose Ave	22	18	90	Myron Cottage	42° cloudy	*146955		
11	"	1703 Hulin	6	7	40	Myron Cottage	46° cloudy	*146970	Slow uptake	
12	"	1527 S Central Ave	5	25	160	Myron Cottage	45° light rain	*144218		
13	5-21-15	2362 MeadowView	4	6	25	Myron Cottage	44° cloudy	*144228		
14	"	"	6	6	25	Myron Cottage	44° cloudy	*144228		
15	"	2502 Forsythia Dr.	3	9	40	Myron Cottage	44° cloudy	*144226		
16	"	2116 O.G. Ilby Rd	3	21	120	Myron Cottage	55° partly sunny	*136845		
17	"	empty Lot	2000 G. Ilby Rd & Bird St.	2	11	50	Myron Cottage	55° partly sunny	*146957	
18	"	4116 Webster Ave.	7	21	120	Myron Cottage	55° partly sunny	*144214		
19	"	2028 Green St.	12	27	180				Bypass Treatment	
20	"	615 Royal Ave.	6	27	180	Myron Cottage	56° sunny	143174	→ NW Rockford	

EAB TREATMENTS - SE					PESTICIDE USED			ACTIVE INGREDIENT	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY		TREE-AGE		IMMECTIN BENZOATE Previous REQUEST #
					INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS		
1	5-29-15	Emery Ln 901 13th St.	8	14	70	Myron Cottage	68°Cloudy	*141904	
2	" " "	"	10	15	70	Myron Cottage	68°Cloudy	*141904	
3	" " "	"	12	17	85	Myron Cottage	68°Cloudy	*141904	
4	" " "	918 13th St.	7	10	50	Myron Cottage	68°Cloudy	*141894	Very slow uptake
5	" " "	1408 12th St.	23	16	75	Myron Cottage	77°Cloudy	*141905	
6	6-2-15	1625 9th Ave.	1	18	90	Myron Cottage	52°Cloudy	*141892	
7	" " "	↓	4	16	75	Myron Cottage	52°Cloudy	*141892	
8	" " "	1629 9th Ave	3	15	70	Myron Cottage	52°Cloudy	*141893	
9	" " "	1636 9th Ave.	5	16	75	Myron Cottage	52°Cloudy	*141901	
10	" " "	1633 9th Ave.	5	21					TOP Present Grown Sticks + Present
11	" " "	1641 9th Ave.	2	17	85	Myron Cottage	62°Sunny	Field	
12	" " "	"	6	14	70	Myron Cottage	62°Sunny	Field	
13	6-3-15	2227 9th Ave.	6	18	90	Myron Cottage	52°Sunny	*141880	
14	" " "	2215 10th Ave.	4	4	25	Myron Cottage	62°Sunny	*141879	
15	" " "	1211 12th Ave	2	7	40	Myron Cottage	65°Sunny	*141965	
16	" " "	1130 17th Ave.	5	21	120	Myron Cottage	72°Sun	*142183	
17	6-4-15	624 Blenheim Dr.	5	4	25	Myron Cottage	68°Cloudy	*141730	
18	" " "	1820 Colorado Ave.	5	14	70	Myron Cottage	70°Cloudy	*141993	
19	" " "	3303 California Rd.	4	11	50	Myron Cottage	70°Cloudy	*142232	
20	" " "	1903 Arizona Ave.	10	9	40	Myron Cottage	70°Cloudy	*141969	

EAB TREATMENTS - SE					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE		IMMEMECTIN BENZOATE		
#	DATE	ADDRESS	CELL #	DBH ["]	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	Precious HANSEN REQUEST #	COMMENTS
161	5-22-15	815 28 th St.	2	8	40	Myron Cottage	55° Sunny	Supervisor	
162	"	802 Binhaim Dr.	4	14	70	Myron Cottage	55° sunny	Supervisor ← * 141731	
163	"	4864 flintridge	6	23	150	Myron Cottage	66° sunny	Supervisor	
164	5-26-15	517 Washington	3	20	110	Myron Cottage	70° Cloudy	* 141830	
165	"	331 Washington	23	12	50	Myron Cottage	70° Rain	* 141832	
166	5-27-15	1220 31 st St.	4	11	50	Myron Cottage	64° Cloudy	* 141870	
167	"	512 29 th St.	3	14	70	Myron Cottage	65° Cloudy	* 141738	
168	"	608 27 th St.	1	18	90	Myron Cottage	66° Cloudy	* 141737	
169	"	524 27 th St.	2	25	160	Myron Cottage	66° Cloudy	* 134405	
170	"	604 27 th St.	3	4	25	Myron Cottage	66° Cloudy	* 141733	Very slow Update
171	"	1504 24 th St.	5	13	70	Myron Cottage	66° Cloudy	* 141988	
172	5-28-15	614 24 th St.	3	11	50	Myron Cottage	57° Sun	* 141992	
173	"	908 21 st St.	7	15	70	Myron Cottage	57° Sun	* 141871	
174	"	2715 2 nd Ave.	7	8	40	Myron Cottage	57° sunny	* 141808	
175	"	1520 20 th St	8	15	70	Myron Cottage	66° sunny	* 142278	
176	"	803 18 th St.	12	18	90	Myron Cottage	66° sunny	* 141878	
177	"	1919 15 th St.	23	12	50	Myron Cottage	76° Cloudy	* 141274	
178	"	" "	24	11	50	Myron Cottage	76° Cloudy	* 141274	
179	6-4-15	2117 Calgary Ct.	3	10	50	Myron Cottage	77° Cloudy	* 141257	
180	6-9-15	304 S. 2 nd St.	2	9	40	Myron Cottage	62° Cloudy	* 141402	

EAB TREATMENTS - NW					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE		IMMEMECTIN BENZOATE		
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	Previous HANSEN REQUEST #	COMMENTS
1	5-21-15	615 Royal Ave	6	27	180	Myron Cottage	56° Partly Cloudy	*143174	
2	5-26-15	710 Royal Ave.	3	16	75	Myron Cottage	67° Cloudy	*143173	
3	" "	830 Royal Ave.	1	21	120	Myron Cottage	69° Cloudy	*143172	
4	" "	1007 Royal Ave.	1	27	180			*143175	Bypass (Bait Lifting Sidewalk)
5	6-22-15	215 N. Day Ave.	5	24	155	Myron Cottage	73° Cloudy	*143199	
6	" "	211 N. Day Ave	5	24	155	Myron Cottage	73° Cloudy	*143200	
7	" "	304 Miriam Ave.	22	20	110	Myron Cottage	74° Partly Cloudy	*143176	
8	" "	↓	5	18				*143176	Bypass Structural Damage
9	" "	415 N Independence	5	21	120	Myron Cottage	72° Partly Cloudy	*143012	
10	6-23-15	714 N. Day st.	6	15				*143195	Bypass (Marked + Letter)
11	" "	118 N Johnston Ave	3	24	155	Myron Cottage	67° Sunny	*143170	
12	" "	611 N. Johnston Ave	5	14	70	Myron Cottage	67° Sunny	*143169	
13	" "	811 N. Johnston Ave	4	24	155	Myron Cottage	71° Sunny	*143167	
14	" "	903 N. Johnston Ave	5	21	120	Myron Cottage	71° Sunny	*143163	
15	" "	911 N. Johnston Ave	5	26	170	Myron Cottage	76° Sunny	*143115	
16	6-24-15	2319 Sherman Ave.	4	21	120	Myron Cottage	60° Cloudy	*143114	
17	" "	2307 Sherman Ave.	3	24	155	Myron Cottage	61° Cloudy	*143113	
18	" "	2206 Sherman Ave	20	20	110	Myron Cottage	63° Cloudy	*143160	
19	" "	2003 Sherman Ave	4	25	160	Myron Cottage	65° Cloudy	*143112	
20	" "	2201 School st.						*143193	No Ash tree Present

EAB TREATMENTS - SE					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE			IMMECTIN BENZOATE	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	Previous REQUEST #	COMMENTS
181	6-5-15	2212 Montana ^{No.}	3	11	50	Myron Cottage	67°Cloudy	#142242	Very low 50% update (Treatment List)
182	" "	3503 Wesleyan ^{No.}	2	9	40	Myron Cottage	69°Cloudy	#142271	
183	" "	" " "	3	12	50	Myron Cottage	69°Cloudy	#142271	
184	" "	3115 Wesleyan ^{No.}	2	14	70	Myron Cottage	74°Cloudy	#142243	
185	" "	2306 Richard ^{No.}	22	11	50	Myron Cottage	74°Cloudy	#142272	
186	" "	" " "	6	12	50	Myron Cottage	74°Cloudy	#142272	
187	6-8-15	440 Blackhawk Park ^{No.}	1	11	50	Myron Cottage	61°Sunny	#147795	#1 East bound
188	" "	" " "	2	11	50	Myron Cottage	60°Sunny	#147795	#2
189	" "	" " "	3	11	50	Myron Cottage	60°Sunny	#147795	#3
190	" "	" " "	4	13	50	Myron Cottage	60°Sunny	#147795	#4
191	" "	" " "	5	17	85	Myron Cottage	69°Sunny	#147795	#5
192	" "	" " "	6	16	75	Myron Cottage	69°Sunny	#147795	#6
193	" "	" " "	7	15	70	Myron Cottage	76°Sunny	#147795	#7
194	" "	" " "	8	14	70	Myron Cottage	76°Sunny	#147795	#8
195	" "	3105. 1 st St. ^{North} East	1	8	40	Myron Cottage	79°Sunny	#147403	
196	6-9-15	409 S. 1 st St.	1	9	40	Myron Cottage	63°Cloudy	#147404	
197	" "	" " "	6	8	40	Myron Cottage	63°Cloudy	#147404	
198	" "	405 S. 1 st St.	9	8	40	Myron Cottage	63°Cloudy	#147773	
199	" "	401 S. 2 nd St.	10	11	50	Myron Cottage	71°Cloudy	#147401	
200	" "	410 S. 3 rd St.	3	16	75	Myron Cottage	76°Cloudy		

EAB TREATMENTS - SE					PESTICIDE USED			ACTIVE INGREDIENT		
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)		APPLICATOR NAME	WEATHER CONDITIONS	Previous REQUEST #	Comments
					TREE-AGE					
201	6-10-15	934 S. 3 rd St.	6	24	155		Myron Cottage	76° sun	#147784	
202	" "	2020 S. 4 th St.	6	11	50		Myron Cottage	76° sun	#142275	
203	" "	2108 S. 4 th St.	7	10	-				#142276	Tree Completely Dead
204	" "	615 S. 5 th St.	14	21	120		Myron Cottage	86° sunny	#141967	
205	" " a	"	21	13	70		Myron Cottage	86° sunny	#141967	
206	" "	234 Highland Ave	8	8	40		Myron Cottage	86° sunny	#141867	Slow Uptake
207	" " a	"	12	10	50		Myron Cottage	86° sunny	#141867	
208	= 11-15	217 S. Prospect St.	4	15	70		Myron Cottage	70° cloudy	#141869	
209	" "	235 S. Chicago Ave	23	22	135		Myron Cottage	72° Stem	#141866	
210	" "	301 S. Chicago Ave	10	12	50		Myron Cottage	72° Stem	#141855	
211	" "	2265 London Ave	3	-	-				#141868	No tree (but) spot & fresh grass
212	" "	524 St. Louis Ave	3	6	25		Myron Cottage	70° Stem	#141831	
213	" "	3911 Shirley Rd.	1	21	120		Myron Cottage	70° Stem	#141728	
214	6-12-15	2703 Hooker Ave	3	20	110		Myron Cottage	63° Light fog	#141829	
215	" " "	"	5	18	90		Myron Cottage	63° Light fog	#141829	
216	" "	807 Jordan St	6	16	75		Myron Cottage	63° fog	#141742	
217	" "	3817 Larson Ave	2	16	75				#141802	Same Location
218	" "	3816 Larson Ave.	2	16	75		Myron Cottage	63° Mist	#141741	
219	" " "	"	5	15	70		Myron Cottage	63° Mist	#141741	
220	" "	3817 Larson Ave	2	24	155		Myron Cottage	63° Mist	#141732	

EAB TREATMENTS - NE					PESTICIDE USED TREE-AGE			ACTIVE INGREDIENT IMMECTIN BENZOATE	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	Previous HANSEN REQUEST #	COMMENTS
41	6/5/15	625 Calvin Park Blvd	4	15	70	A-24	67° Cloudy	141516	
42	6/5/15	3620 Crosby ST	6	9	40	A-24	69° cloudy	141693	
43	6/5/15	3608 Crosby ST	3	18	90	A-24	70° cloudy	141696	
44	6/5/15	3906 Crosby ST	2	20	110	A-24	70° cloudy	141676	
45	6/5/15	3906 Crosby ST	4	18	90	A-24	70° cloudy	141676	
46	6/8/15	120 Skylark Dr	6	18	90	A-24	67° cloudy		
47	6/8/15	4340 Morsay Dr	4	13	70	A-24	74° Fair		
48	6/8/15	316 Hemlock Ln	2	25	160	A-24	77° P/Cloudy		
49	6/8/15	316 Hemlock Ln	6	22	135	A-24	77° P/Cloudy		
50	6/9/15	3906 Crosby ST	21	16	75	A-24	60° cloudy	141676	
51	6/9/15	516 Hemlock Ln	4	20	110	A-24	64° cloudy		
52	6/9/15	3000 Rural ST		23	150	A-24	70° cloudy		In Park on W
53	6/10/15	3000 Rural ST		20	110	A-24	75° P/Cloudy		In Park on Rural side
54	6/10/15	507 Vale	6	19	100	A-24	83° Cloudy		Reapplication botanical
55	6/10/15	507 vale	3	8	40	A-24	83° Cloudy		
56	6/10/15	602 James	23	11	50	A-24	85° Cloudy		
57	6/10/15	431 Dawson Ave	23	32	240	A-24	86° m/Cloudy		
58	6/11/15	3603 Greenwood	3	13	70	A-24	71° Cloudy		Incomplete - Complete
59	6/11/15	3603 Greenwood	6	14	70	A-24	73° Cloudy		
60	6/17/15	317 Fairview	7	18	90	A-24	66° Cloudy		

EAB TREATMENTS - SE					PESTICIDE USED			ACTIVE INGREDIENT		
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY		APPLICATOR NAME	WEATHER CONDITIONS	Previous HANSEN REQUEST #	ACTIVE INGREDIENT
					INJECTED (M/LITERS)					
1	6-15-15	2931 Oak Grove	4	18	90		Myron Cottage	72° Rain	#141828	
2	" "	" "	7	19	100		Myron Cottage	72° Rain	#141828	
3	" "	" "	13	15	70		Myron Cottage	72° Rain	#141828	
4	" "	720 Woodland	4	24	155		Myron Cottage	75° Cloudy	#141804	
5	" "	1736 Sexton Dr.	6	9	40		Myron Cottage	75° Cloudy	#141997	
6	" "	504 Sawyer Rd.							#147789	No Ash tree Present
7	" "	824 Taft Rd.	2	14	70		Myron Cottage	76° Cloudy	#142439	
8	6-16-15	711 Seminary St.	2	15	70		Myron Cottage	66° Rainy	#147779	Very slow uptake
9	" "	717 Seminary St.	2	14	70		Myron Cottage	66° Rainy	#147780	Very slow uptake
10	" "	809 Seminary St.	6	6	25		Myron Cottage	71° Sunny	#147781	Very slow uptake
11	" "	815 Seminary St.	1	9	40		Myron Cottage	71° Sunny	#147782	Very slow uptake
12	" "	2902 Sewell St.	7	6	25		Myron Cottage	75° Sunny	#141437	
13	6-17-15	3022 Utah Pl.	5	12	50		Myron Cottage	59° Cloudy	#141968	
14	" "	3208 Minnesota Dr.	4	9	40		Myron Cottage	59° Cloudy	#141994	
15	" "	3445 Minnesota Dr.	21	21	120		Myron Cottage	62° Cloudy	#142281	
16	" "	3316 Thelma St.	6	7	40		Myron Cottage	62° Cloudy	#142157	
17	" "	2303 Cornell Dr.	11	25	160		Myron Cottage	68° Cloudy	#142279	
18	" "	2208 Ohio PKWY	23	27	180		Myron Cottage	68° Cloudy	#142273	
19	" "	" "	21	20	110		Myron Cottage	68° Cloudy	#142273	
20	6-18-15	1316 Parmelle St.	5	7	40		Myron Cottage	71° Cloudy	#141907	

EAB TREATMENTS - NE					PESTICIDE USED			ACTIVE INGREDIENT	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	TREAGE REQUEST #	IMMECTIN BENZOATE
61	6-22-15	518 Fairview	6	16	75	A-24	74° Cloudy	141705	
62	6-23-15	1410 Benton st	4	6	25	A-24	65° Sunny	141657	
63	6-23-15	4125 Gardner	2	11	50	A-24	65° Sunny	need #	
64	6-23-15	425 Gardner	4	11	50	A-24	65° sunny	need #	
65	6-23-15	419 Gardner	2	12	50	A-24	69 sunny	need #	
66	6-23-15	419 Gardner	4	13	70	A-24	69 sunny	need #	
67	6-23-15	401 Gardner	5	26	170	A-24	72 sunny	need #	
68	6-23-15	406 Gardner	4	17	85	A-24	77 sunny	need #	
69	6-24-15	312 N. Gardner	2	7	40	A-24	62 cloudy	need #	very slow intake
70	6-24-15	533 London	21	23	150	A-24	67 cloudy	need #	
71	6-24-15	6003 N. Chicago Ave							Tree Has been Removed
72	6-24-15	516 N. Chicago	8	8	40	A-24	69 cloudy	need #	
73	6-24-15	303 N. Prospect	6	17	85	A-24	74 cloudy	need #	
74	6-29-15	5872 Sheldord	1	24	155	A-24	62 fog	need #	
75	6-29-15	5872 Sheldord	3	23	150	A-24	62 fog	need #	
76	6-29-15	1912 Shaw Woods	4	7	40	A-24	64 cloudy	need #	uns
77	6-29-15	773 N. 1st st	2	18	90	A-24	65 cloudy	need #	
78	6-29-15	724 N. 1st st	2	11	50	A-24	69 cloudy	need #	
79	6-29-15	730 N 1st ST	2	26	110	A-24	69 cloudy	need #	
80	7-1-15	1002 N. 1st	2	6	25	A-24	58 cloudy	147774	

EAB TREATMENTS - NW					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE		IMMECTIN BENZOATE		
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	Previous HANSEN REQUEST #	COMMENTS
21	6-24-15	2223 School st.	21	17	95	Myron Cottage	73°Cloudy	#143194	
22	" "	815 Hoban Ave.	5	24	155	Myron Cottage	75°Cloudy	#143136	
23	6-25-15	711 Alliance Ave.	2	30	225	Myron Cottage	67°Cloudy	#143198	
24	" "	2505 Ashland Ave.	4	28	195	Myron Cottage	69°Cloudy	#143202	
25	" "	2511 Ashland Ave.	5	30	225	Myron Cottage	77°Partly Cloudy	#143201	
26	" "	" "	1	27	180	Myron Cottage	77°Partly Cloudy	#143201	
27	" "	2516 Ashland Ave.	2	22	135	Myron Cottage	76°Cloudy	#143137	
28	6-26-15	601 Albert Ave	6	17	85	Myron Cottage	66°Cloudy	#143132	
29	" "	2416 Ashland Ave	5	26	170	Myron Cottage	66°Cloudy	#143968	
30	" "	720 N. Sunset Ave.	10	18	90	Myron Cottage	66°Cloudy	#143115	
31	" "	422 N. Sunset Ave	4	17	85	Myron Cottage	66°Cloudy	#14303	
32	6-29-15	314 Underwood St.	3	18	90	Myron Cottage	62° Fog	8-21-2013 List	
33	" "	452 Underwood St.	6	16	75	Myron Cottage	63°Fog	8-20-2013	
34	" "	436 S. 1st St.						#142981	No Ash tree Present
35	" "	528 N. Harsman St.	1	8	40	Myron Cottage	70°Cloudy	#143357	
36	" "	" "	6	8	40	Myron Cottage	70°Cloudy	#143351	
37	" "	1203 Taylor St.	13	20	110	Myron Cottage	73°Cloudy	8-23-2013	
38	" "	1417 Sherman Ave.	1	19	100	Myron Cottage	73°Cloudy	#143025	
39	" "	1427 Sherman Ave.	5	19	100	Myron Cottage	73°Cloudy	#143020	
40	6-30-15	1004 Andrews St.	20	16	75	Myron Cottage	64°Cloudy	#142942	

EAB TREATMENTS - NW					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE			IMMECTIN BENZOATE	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	Peter Hansen REQUEST #	COMMENTS
61	7-1-15	1221 Camp Ave	4	25	160	A-24	64° cloudy	143961	
62	7-6-15	703 Cottage Grove	10	18	90	A-24	70° cloudy	142514	
63	7-6-15	1331 Post	4	16	75	A-24	72° cloudy	143463	
64	7-6-15	1326 Post	2	23	150	A-24	74° cloudy	143462	
65	7-6-15	1415 Camp	5	28	195	A-24	76° rain	139195	
66	7-6-15	1421 Camp	2	17	50	A-24	75° light rain	143945	
67	7-8-15	1502 Camp	21	4	25	A-24	54° cloudy	143944	
68	7-8-15	1508 Camp	2	11	50	A-24	54° cloudy	143943	
69	7-8-15	1603 Camp	10	22	135	A-24	57° cloudy	143942	
70	7-8-15	1626 Camp	3	9	40	A-24	61° cloudy	143941	
71	7-8-15	1819 Camp	2	18	90	A-24	64° cloudy	143634	
72	7-8-15	1818 Camp	4	18	90	A-24	64° cloudy	143635	
73	7-8-15	1742 Douglas	2	15	70	A-24	67° cloudy	142516	
74	7-8-15	1742 Douglas	9	7	40	A-24	67° Haze, need #		
75	7-8-15	1742 Douglas	13	15	56	A-24	67° cloudy need #		
76	7-8-15	1742 Douglas	11	15	70	A-24	67° cloudy need #		
77	7-13-15	1708 Douglas	6	8	40	A-24	67° cloudy	142515	
78	7-13-15	2221 Douglas	21	10	50	A-24	71° sunny	142513	
79	7-13-15	2204 Douglas	4	15	70	A-24	74° cloudy	142512	
80	7-13-15	2204 Douglas	23	11	50	A-27	74° cloudy need #		

EAB TREATMENTS - NW					PESTICIDE USED			ACTIVE INGREDIENT		
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)		APPLICATOR NAME	WEATHER CONDITIONS	Previous HANSEN REQUEST #	IMMEMECTIN BENZOATE
					INJECTED (M/LITERS)	APPLICATOR NAME				
1	7-1-15	1325 Blaisdell st.							#143027	No Ash tree Present
2	Location	1333 Blaisdell st.	2	20	110	Myron Cottage	59°Cloudy	Field Location		Empty House
3	" "	704 Irving Ave	21	9	40	Myron Cottage	59°Cloudy		#143011	
4	7-7-15	1503 Yonge St.	6	9	40	Myron Cottage	63°Cloudy			8-8-2013
5	" "	" "	8	22	135	Myron Cottage	63°Cloudy			8-8-2013
6	" "	1283 N. Main	10	23	150	Myron Cottage	63°Cloudy		#143960	
7	" "	1321 N. Court	22	19	100	Myron Cottage	65°Cloudy		#143416	
8	" "	" "	" "	" "	" "	" "	" "	" "	#143417	
9	" "	618 Oakley Ave	3	11	50	Myron Cottage	65°Cloudy		#143010	
10	" "	2008 Shetley Dr.	3	24	155	Myron Cottage	71°Cloudy		#143014	
11	7-8-15	1726 N. Court	1	25	160	Myron Cottage	53°Cloudy		#142923	
12	" "	2309 N. Court	5	19	100	Myron Cottage	58°Cloudy		#142917	
13	" "	2310 N. Court	3	17	85	Myron Cottage	63°Cloudy		#142919	
14	" "	3356 Sun Valley ter.	6	16	75	Myron Cottage	63°Cloudy		#142584	
15	" "	3348 Sun Valley							#142589	
16	" "	3348 Sun Valley	22	135		Myron Cottage	63°Cloudy		#142590	
17	" "	" "		19	100	Myron Cottage	63°Cloudy		#142590	
18	" "	2208 Clinton	5	14	70	Myron Cottage	66°Cloudy	Blank		2 years (Age) tree was by pasture
19	" "	1810 Oxford St.	7	11	50	Myron Cottage	66°Cloudy		#141478	below the pasture
20	7-15-15	1005 Haskell Ave	3	23	150	Myron Cottage	57°unny		#143414	

EAB TREATMENTS - NW					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE			IMMEMECTIN BENZOATE	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	Previous HANSEN REQUEST #	COMMENTS
21	7-9-15	2040 Oxford St.	6	13	70	Myron Cottage	62°Cloudy	*142477	
22	" " "	" " "	11	14	70	Myron Cottage	62°Cloudy	*142477	
23	" "	1742 Oxford St.	6	21	120	Myron Cottage	60°80°Cloudy	*142479	
24	" "	1302 National Ave.	2	17	85	Myron Cottage	65°Cloudy	*143443	
25	" "	1210 National Ave.	—	—	—	—	—	*143444	No Ash tree present
26	" "	1214 National Ave.	—	—	—	—	—	*143446	No Ash tree present
27	" "	1420 Grant Ave	2	19	100	Myron Cottage	69°Cloudy	*143430	
28	" "	1422 Grant Ave.	5	19	100	Myron Cottage	69°Cloudy	*143429	
29	" "	1404 Grant Ave.	7	23	150	Myron Cottage	70°Cloudy	*143431	
30	7-14-15	1110 Grant Ave	6	25	160	Myron Cottage	72°Sunny	*143432	
31	" "	1306 Grant Ave.	4	12	50	Myron Cottage	72°Sunny	*143433	
32	" "	2118 Kilburn St	4	31	—	Post Bypass Treatment		Orange Dot over 1/2 decline	
33	" "	705 Kilburn St.	13	7	40	Myron Cottage	79°Cloudy	*143245	
34	" "	" " "	11	7	40	Myron Cottage	79°Cloudy	*143245	
35	" "	" " "	8	4	25	Myron Cottage	79°Cloudy	*143245	
36	" "	1011 Haskell Ave.	1	26	170	Myron Cottage	79°Cloudy	*143413	
37	7-15-15	721 Locust St.	4	21	120	Myron Cottage	59°Sunny	*143244	
38	" "	1516 Midway Dr.	6	16	75	Myron Cottage	—	*142160	
39	" "	1841 Harlem Blvd.	—	—	—	—	—	*143633	No Ash tree present
40	7-20-15	2010 Harlem Blvd.	3	20	110	Myron Cottage	62°Cloudy	*142685	

EAB TREATMENTS - NW					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE			IMMECTIN BENZOATE	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	Peter HANSEN REQUEST #	COMMENTS
81	7-13-15	1825 Douglas	2	9	40	A-24	78° Fair	142517	
82	7-13-15	2020 Cumberland	2	15	70	A-24	78°	142476	
83	7-20-15	3318 Charles st	11	20	110	A-24	66°	141740	
84	7-20-15	2102 Cumberland	20	19	100	A-24	69°	142537	
85	7-20-15	2037 Clinton st	2	16	75	A-24	75°	142486	
86	7-26-15	703 Auburn st	9	7	40	A-24	78°	142220	
87	7-20-15	1605 Grace st	6	9	40	A-24	80°	142616	
88	7-20-15	1603 Burton st	10	16	75	A-24	83°	142922	
89	7-20-15	1603 Burton ST	12	16	75	A-24	83°	need #	
90	7-21-15	523 Brown	2	7	40	A-24	64 sunny	142546	
91	7-21-15	523 Brown	6	21	120	A-24	64 sunny	need #	
92	7-21-15	1320 Boilvin Ave	6	20	110	A-24	71 sunny	143461	
93	7-23-15	1211 Garrison Ave	4	7	40	A-24	64° sunny	143439	
94	7-23-15	1211 Garrison Ave	6	9	40	A-24	64° sunny	need #	
95	7-23-15	2216 Dresden	6	26	170	A-24	83° sunny	134733	
96	7-24-15	818 Ellis Ave	6	12	50	A-24	64 cloudy	142533	
97	7-24-15	2416 Ashland ave	5	26	170	A-24	76 cloudy	143968	
98	7-24-15	523 Chisholm Trl	2	20	110	A-24	79 cloudy	143235	
99	7-24-15	1820 Melrose	3	14	70	A-24	82 cloudy	142491	
100	7-27-15	1742 Hancock	4	13	70	A-24		142536	

EAB TREATMENTS - NW					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE			IMMEMECTIN BENZOATE	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	Previous HANSEN REQUEST #	COMMENTS
41	7-15-15	1724 Harlem Blvd.	6	7	40	Myron Cottage	75° sunny	#143962	
42	" "	"	3	7				#143962	Cell=3 Marked + Letter Standard Range
43	" "	412 Mulberry	5	9	40	Myron Cottage	75° sunny		Not in list 2013 year
44	7-16-15	130 N. Church	6	8	40	Myron Cottage	63° cloudy	#143441	
45	" "	126 N. Church	7	8	40	Myron Cottage	63° cloudy	#143612	Very Sparse & Very Slow Uptake
46	" "	132 N. Church	9	8	40	Myron Cottage	64° cloudy	#143613	Very Slow uptake
47	" "	408 Mulberry	4	8	40	Myron Cottage	64° cloudy	#143617	Very Slow uptake
48	7-17-15	3333 N. Church	9	13	70	Myron Cottage	74° sunny	#142582	
49	" "	2203 Latham	6	17	85	Myron Cottage	74° sunny	#142612	
50	" "	1904 Latham	5	18	90	Myron Cottage	74° sunny	#142925	
51	" "	1704 Latham	4	13	70	Myron Cottage	77° sunny	#142618	
52	" "	416 King	3	18	90	Myron Cottage	77° sunny	#143415	
53	" "	504 King	5	20	110	Myron Cottage	85° sunny	#143418	
54	7-20-15	2024 Harlem Blvd.	2	17	85	Myron Cottage	62° cloudy	#142483	
55	" "	2026 Harlem	2	25	160	Myron Cottage	69° cloudy	#142484	
56	" "	"	5	21	120	Myron Cottage	69° cloudy	#142484	
57	" "	2333 Harlem	1	13	70	Myron Cottage	83° cloudy	#142482	
58	" "	"	4	15	70	Myron Cottage	83° cloudy	#142482	
59	" "	"	7	13	70	Myron Cottage	83° cloudy	#142482	
60	7-21-15	"	13	11	50	Myron Cottage	62° sunny	#142482	

-Treats

EAB TREATMENTS - SW E					PESTICIDE USED		ACTIVE INGREDIENT		
					TREE-AGE		IMMECTIN BENZOATE		
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	HANSEN REQUEST #	COMMENTS
1	6-2-14	4826 Antioch Dr.	6	12	40	Myron Cattage	Cloudy 75°	167127	uptake Very Slow
2	6-2-14	3306 Jacqueline Dr.	4	11	40	Myron Cattage	Partly Sunny 76°	167129	uptake Very Slow
3	6-3-14	2505 Revelation Ln.	1	14	50	Myron Cattage	Sunny 65°	167130	
4	6-3-14	2505 Revelation Ln.	6	10	30	Myron Cattage	Sunny 65°	167131	
5	6-3-14	2523 Revelation Ln.	7	15	60	Myron Cattage	Sunny 67°	167132	
6	6-3-14	2551 Revelation Ln.	7	16	65	Myron Cattage	Sunny 69°	167133	
7	6-3-14	2563 Revelation Ln.	7	18	80	Myron Cattage	Sunny 69°	167134	
8	6-3-14	2565 Revelation Ln.	2	16	65	Myron Cattage	Sunny 71°	167135	
9	6-3-14	2617 Revelation Ln.	7	18	80	Myron Cattage	Sunny 75°	167136	
10	6-3-14	2629 Revelation Ln.							Stump DBH = 26
11	6-4-14	2657 Revelation Ln.	7	23	150	Myron Cattage	Light Rain 62°	167139	
12	6-4-14	5087 Valley Pines Dr.	1	15	60	Myron Cattage	Light Rain 62°	167140	
13	6-4-14	3904 Lookout Dr.	13	9	30	Myron Cattage	Cloudy 61°	167170	
14	6-4-14	3904 Lookout Dr.	11	8	25	Myron Cattage	Cloudy 61°	167170.	
15	6-5-14	3717 MAYwood ct.	6	8	25	Myron Cattage	Sunny 53°	167172	
16	6-5-14	5181 Houston Rd.	4	18	80	Myron Cattage	Mostly Sunny 65°		
17	6-5-14	3122 Brazeway Dr.	5	18	80	Myron Cattage	Mostly Sunny 63°		
18	6-5-14	3084 Brazeway Dr.	11	7	20	Myron Cattage	Mostly Sunny 67°		
19	6-6-14	1212 Asche Ave.	10						→ Marked & Letter ^{Baited}
20	6-6-14	1212 Asche Ave.							→ Marked & Letter ^{74 Delin car}

Re-Treats

EAB TREATMENTS - SWE					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE			IMMECTIN BENZOATE	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	HANSEN REQUEST #	COMMENTS
21	6-5-14	1212 Asche Ave.	#11	6	20	Myron Cottage	Mostly Sunny 72°		Uptake Very Slow
22	6-5-14	1212 Asche Ave.	#12	6	20	Myron Cottage	Mostly Sunny 72°		Uptake Very Slow
23	6-5-14	1212 Asche Ave.	#13	8	25	Myron Cottage	Mostly Sunny 72°		Uptake Very Slow
24	6-6-14	1212 Asche Ave.	#15	8	25	Myron Cottage	Mostly Sunny 59°		
25	6-6-14	1212 Asche Ave.	#17	9	30	Myron Cottage	Mostly Sunny 59°		
26	6-6-14	1212 Asche Ave.	#18	8	25	Myron Cottage	Mostly Sunny 59°		
27	6-6-14	1212 Asche Ave.	#19	9	30	Myron Cottage	Mostly Sunny 59°		
28	6-6-14	1212 Asche Ave.	#1	9	30	Myron Cottage	Sunny 77°		
29	6-6-14	1212 Asche Ave.	#2	9	30	Myron Cottage	Sunny 77°		
30	6-6-14	1212 Asche Ave.	#3		100	Myron Cottage	Sunny 77°		
31	6-6-14	1212 Asche Ave.	#4	9	30	Myron Cottage	Sunny 77°		
32	6-9-14	4607 Newcastle Rd.	5	16	65	Myron Cottage	Sunny 72°		
33	6-10-14	1212 Asche Ave	5	10	30	Myron Cottage	Light Rain 65°		
34	6-10-14	1212 Asche Ave	1	11	40	Myron Cottage	Light Rain 65°		
35	6-11-14	3469 Precision Dr.	3	18	80	Myron Cottage	Light Rain 61°		
36	6-11-14	3469 Precision Dr.	5	16	65	Myron Cottage	Light rain 61°		
37	6-11-14	3469 Precision Dr.	7	15	60	Myron Cottage	Light Rain 61°		
38	6-11-14	3230 PY Ramid Dr.	24	16	65	Myron Cottage	Cloudy 63°		
39	6-11-14	3230 PY Ramid Dr.	21	14	50	Myron Cottage	Cloudy 63°		
40	6-12-14	3230 PY Ramid Dr.	20	14	change 70 ml	Myron Cottage	Light Fog 57°		

EAB TREATMENTS - SE					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE			IMMECTIN BENZOATE	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	HANSEN REQUEST #	COMMENTS
141	6-10-14	4635 Newcastle	5	22	135	A-24	62° Cloudy		
142		↓	2	30	n/a	"	"		by passed / sidewalk lifting
143		1836 Apple Tree Ln	4	16	65	"	62° Cloudy		
144		↓	1	27	n/a	"	"		by passed too large
145	6-11-14	4603 Longmeadow Ln	5	21	120	A-24	61° rain		Two Drv mistake
146	6-12-14	4628 Longmeadow Ln	5	14	70	A-24	55° Fog		
147	6-12-14	1817 Arnold Ave	16	75	"	"	65° Cloudy		
148	6-12-14	1817 Arnold ave	22	115	"	"	61° Cloudy		
149	6-12-14	1619 Arnold Ave	11	18	75	"	61° Cloudy		
150	6-12-14	1520 Kerstin CT	2	21	120		61°		
151	6-13-14	1520 Kerstin CT	4	22	135	A-24	53° Sunny		
152	6-13-14	1532 Kerstin CT	4	23	150	"	58 sunny		
153	6-13-14	1532 Kerstin CT	1	21	n/a	"	"		Non-Treatment BARN FAULTY AWAY
154	6-19-14	1517 Kerstin CT	1	25	160	A-24	67° Cloudy		
155	6-19-14	1517 Kerstin CT	4	22	135	"	67° Cloudy		
156	6-20-14	1517 Kerstin CT	12	27	n/a	A-24	71° cloudy		Defective vascular system (removed)
157	6-20-14	1517 Kerstin CT	10	24	155	"	71° Cloudy		
158		TSAKAKHOSKWAH				"			
159	6-20-14	5326 Cybele Ln	3	18	90	"	73° Cloudy		
160	6-20-14	5326 Cybele Ln	6	11	n/a	"			Defective vascular system marked for removal

Re-Treats

EAB TREATMENTS - SW E					PESTICIDE USED			ACTIVE INGREDIENT		
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)		APPLICATOR NAME	WEATHER CONDITIONS	HANSEN REQUEST #	COMMENTS
					TREE-AGE	IMMEMECTIN BENZOATE				
41	6-12-14	5060 27 th Ave	1	19	100		Myron Cottagae	Cloudy 67°		
42	6-12-14	4217 O'Connell Dr.	3							Bumpy Lifting Sidewalk (Bypass)
43	6-12-14	4308 Mayflower Ave	2	19	100		Myron Cottagae	Cloudy 74°		
44	6-13-14	3475 Holiday Dr.	6	18	40		Myron Cottagae	Sunny 52°		Flat Picture Look's City
45	6-13-14	4608 Trevor CIR	5	18	90		Myron Cottagae	Sunny 55°		
46	6-13-14	4309 Red Court Rd	3	31	240		Myron Cottagae	Sunny 62°		Sidewalk (Starting) Drop
47	6-13-14	3223 New England Dr.	3	31	240		Myron Cottagae	Sunny 62°		
48	6-13-14	4329 Majesty Ct.	2	22	135		Myron Cottagae	Sunny 62°		
49	6-13-14	3351 Tannenbaum LN.	4	16	75		Myron Cottagae	Sunny 62°		
50	6-16-14	3315 Jacqueline Dr.	2	20	110		Myron Cottagae	Pretty Sunny 62°		
51	6-16-14	3310 Jacqueline Dr.	11	9	40		Myron Cottagae	Pretty Sunny 65°		
52	6-16-14	3310 Jacqueline Dr.	8	9	40		Myron Cottagae	Pretty Sunny 65°		
53	6-16-14	3310 Jacqueline Dr.	9	15	70					Lifting Sidewalk (Bypass)
54	6-16-14	3404 Jacqueline Dr.	4							Lifting Sidewalk (Bypass)
55	6-16-14	3404 Jacqueline Dr.	2							Start of Lifting Sidewalk (Bypass)
56	6-16-14	3009 Foliage LN.	3							over 1/2 Decline Marked & Letter
57	6-16-14	3003 Grandale Dr.	4	18	90		Myron Cottagae	Bumpy Sunny 81°		
58	6-19-14	2303 Winnetka Dr.	5	16	75		Myron Cottagae	Cloudy 73°		
59	6-19-14	2303 Winnetka Dr.	1	15						Marked & Letter over 1/2 decline
60	6-19-14	2906 Concordia Dr.	4							Bulging terrace Bypass Lifting Sidewalk

Re-Treats

EAB TREATMENTS - SITE					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE		IMMEMECTIN BENZOATE		
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	HANSEN REQUEST #	COMMENTS
61	6-17-14	5048 American Rd	1	9	40	Myron Cottage	Cloudy 70°		
62	6-17-14	5048 American Rd.	2	8	40	Myron Cottage	Cloudy 70°		
63	6-17-14	5048 AMerican Rd	3	8	40	Myron Cottage	Cloudy 70°		
64	6-17-14	5048 American Rd	6		40	Myron Cottage	Cloudy 70°		
65	6-18-14	2810 North Moor Dr.	2	21	120	Myron Cottage	Cloudy 76°		
66	6-18-14	2920 North Moor Dr.	1	16	75	Myron Cottage	Cloudy 77°		
67	6-18-14	2722 Colorado Ave	5	16	75	Myron Cottage	Storms 67°		
68	6-18-14	2606 Colorado Ave	3	16	75	Myron Cottage	Cloudy 69°		
69	6-19-14	5111 Upland Dr.	3						Native Orange Dot Present
70	6-19-14	5112 Upland Dr.	4						Native Orange Dot Present
71	6-19-14	5020 Upland Dr.	3	17	85	Myron Cottage	Cloudy 67°		
72	6-19-14	4612 Upland Dr.	11						Lifting Sidewalk
73	6-19-14	4612 Upland Dr.	9						Roots / Lean
74	6-19-14	4511 Upland Dr.	2	19	100	Myron Cottage	Cloudy 67°		
75	6-19-14	4511 Upland Dr.	5	19	100	Myron Cottage	Cloudy 67°		
76	6-19-14	4503 Upland Dr.	-						No (kash) tree Present
77	6-19-14	4804 Upland Dr.	6						Native Orange Dot Present
78	6-19-14	2315 Holmes St.	5						Bulging terrace / Lean
79	6-19-14	2315 Holmes St.	2						Bulging terrace / Lean Sidewalk Native
80	6-19-14	2200 (2204-2206) Holmes St.	10						Native Orange Dot Present

EAB TREATMENTS - SWE					PESTICIDE USED			ACTIVE INGREDIENT		
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)		APPLICATOR NAME	WEATHER CONDITIONS	HANSEN REQUEST #	COMMENTS
					TREE-AGE					
81	6-19-14	2615 Bucknell Dr.		1						Boring Service Bypass New Sidewalk
82	6-19-14	2615 Bucknell Dr.		6						Bad Decline Marked Letter
83	6-20-14	2706 Ohio Parkway	10							Boring Service Bypass curb
84	6-24-14	2516 Skokie Dr.	4	14	70		Myron Cottage	Cloudy 72°		
85	6-24-14	2528 Skokie Dr.	4	22	23					BYPASS Lifting Sidewalk BYPASS New Sidewalk
86	6-24-14	5362 Dierks Dr.	13	13	70		Myron Cottage	Partly Sunny 83°		
87	6-24-14	5345 Dierks Dr.	10	13	70		Myron Cottage	Partly Sunny 83°		
88	6-25-14	5334 Dierks Dr.	19	13	70		Myron Cottage	Partly Sunny 66°		
89	6-25-14	5379 Dierks Dr.	23	10	50		Myron Cottage	Partly Sunny 69°		
90	6-25-14	5386 Dierks Dr.	8	13	70		Myron Cottage	Partly Sunny 69°		
91	6-25-14	1806 Highridge Rd.	2	6						BYPASS Lifting Sidewalk
92	6-25-14	1904 Highridge Rd.	5	13	70		Myron Cottage	Partly Sunny 76°		
93	6-25-14	1904 Highridge Rd.	2							BYPASS Location full
94	6-25-14	16679 Grossridge Rd.	2							BYPASS Location somewhat full → Lifting Sidewalk
95	6-25-14	16679 Grossridge Rd.	3							BYPASS V-Crotched trunk (full)
96	6-25-14	1999 Santa Monica Dr.	2	21	120		Myron Cottage	Mostly Sunny 76°		
97	6-25-14	16669 TeleMark Dr.	3	21	120		Myron Cottage	Partly Sunny 81°		
98	6-25-14	16669 TeleMark Dr.	5	20	110		Myron Cottage	Partly Sunny 81°		
99	6-26-14	1720 Telemark Dr.	4	26	170					BYPASS (Crack area) BYPASS (Lifting Sidewalks)
100	6-26-14	1801 Highridge Rd.	2	6						

EAB TREATMENTS - SW					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE			IMMECTIN BENZOATE	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	HANSEN REQUEST #	COMMENTS
141	6/23/14	5321 Cybele Ln	4	12	85	A-24	68°		
142	6/23/14	5321 Cybele Ln	7	21	120	" "	68°		
143	6/23/14	1522 Powderham Dr	20	18	90	" "	73°		
144	6/23/14	1522 Powderham Dr	23	21	120	" "	73°		
145	7/2/14	954 Anee	2	15	70	A-24	Sunny/60°		
146	7/2/14	895 Anee	5	13	70	" "	Sunny/60°		
147	7/2/14	895 Anee	2	12	50	" "	Sunny/60°		
148	7/2/14	1252 Anee	1	17	85	" "	Cloudy/64°		
149	7/2/14	949 Britannia	4	11	56	" "	Cloudy/64°		Intake slow Fished 7-3-14
150	7/3/14	913 Candlesend	5	20	110	A-24	P.Sunny/64°		
151	7/3/14	875 Stone Field	3	16	50	" "	P.Sunny/69°		
152	7/7/14	875 Stone Field	7	9	40	A-24	Fog/72°		
153	7/7/14	6673 Southfield	3	13	70	" "	Cloudy/75°	2 dr.	Conf. 7-8-14
154	7/8/14	6643 Sandalwood	6	11	50	A-24	Cloudy 67°		
155	7/8/14	6648 Sandalwood	1	17	85	" "	Cloudy 67°		
156	7/8/14	6683 Sandalwood	2	18	90	" "	Cloudy 74°		
157	7/8/14	6683 Sandalwood	21	16	75	" "	Cloudy 74°		
158	7/8/14	1364 Revere Ridge	4	16	675	" "	Cloudy 75°		
159	7/8/14	1377 Revere Ridge	24	12	50	" "	Cloudy 75°		
160	7/9/14	1190 Revere Ridge	1	12	50	" "	Cloudy 60°		

EAB TREATMENTS - NE					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE			IMMEMECTIN BENZOATE	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	HANSEN REQUEST #	COMMENTS
101	6-26-14	14160 Livingston Dr.	5	9	40	Myron Cottage	Cloudy 63°		
102	6-26-14	14341 Livingston Dr.	4	6	—				BYPass (Lifting Sidewalk)
103	6-26-14	14041 Livingston Dr.	1	—	—				BYPass (Lifting Sidewalk)
104	6-26-14	13401 Livingston Dr.	5	12	50	Myron Cottage	Cloudy 65°		
105	6-26-14	13401 Livingston Dr.	7	7	40	Myron Cottage	Cloudy 65°		
106	6-26-14	7353 Fairmont Ln.	12	11	50	Myron Cottage	Cloudy 65°		
107	6-27-14	7380 Fairmont Ln.	3	—	—				BYPass stress + structural
108	6-27-14	7412 Fairmont Ln.	3	—	—				BYPass Structural Weak
109	6-27-14	7412 Fairmont Ln.	7	12	50	Myron Cottage	Cloudy 66°		
110	6-27-14	1357 Sandhurst Ln.	1	—	—				BYPass Lifting Sidewalk
111	6-27-14	1753 Oak Park Dr.	20	12	50	Myron Cottage	Partly Sun 71°		Add on List
112	6-27-14	7236 Sentinel Rd.	1	16	75	Myron Cottage	Partly Sun 78°		
113	6-27-14	7236 Sentinel Rd.	3	16	75	Myron Cottage	Partly Sun 78°		
114	6-27-14	7218 Sentinel Rd.	4	—	—				B Marked that over 1/2 decline
115	6-27-14	7218 Sentinel Rd.	6	—	—				BYPass (Poor Root System)
116	6-27-14	7090 Sentinel Rd	3	15	70	Myron Cottage	Partly Sun 78°		
117	6-27-14	7085 Sentinel Rd	6	15	70	Myron Cottage	Partly Sun 85°		
118	6-27-14	7085 Sentinel Rd	4	16	75	Myron Cottage	Partly Sun 85°		
119	6-27-14	7085 Sentinel Rd	7	—	—				BYPass (Storm trunk in the damage heartwood)
120	7-9-14	1619 Marshfield	11	12	50	Myron Cottage	Partly Sun 71°		(Add to List)

7-17-14 1431 Sandhurst Dr. Bypass Lifting Sidewalk

EAB TREATMENTS - SWNE					PESTICIDE USED			ACTIVE INGREDIENT	
					TREE-AGE			IMMECTIN BENZOATE	
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	HANSEN REQUEST #	COMMENTS
121	6-30-14	1608 Oakforest Dr.	4	12	50	Mvron Cottage	Cloudy 69°		
122	6-30-14	1552 Oakforest Dr.	6	12	50	Mvron Cottage	Cloudy 69°		
123	6-30-14	1648 Raintree	6	13	70	Mvron Cottage	Cloudy 70°		
124	6-30-14	1463 Ramsey	6	23	150	Mvron Cottage	Cloudy 75°		
125	6-30-14	1463 Ramsey	2	23	150	Mvron Cottage	Cloudy 75°		
126	6-30-14	7217 Centennial Tr.	7	12	50	Mvron Cottage	Cloudy 74°		
127	6-30-14	1150 Fox Chase	3	10	50	Mvron Cottage	Cloudy 76°		
128	7-1-14	7112 Weathered Oak	6	12	50	Mvron Cottage	Cloudy 64°		
129	7-1-14	7150 Weathered Oak	7	10	50	Mvron Cottage	Cloudy 64°		
130	7-1-14	6951 ACADEMY Tr.	5	10	50	Mvron Cottage	Cloudy 66°		
131	7-1-14	6951 ACADEMY Tr.	2	13	70	Mvron Cottage	Cloudy 66°		
132	7-1-14	6758 Academy Tr.	4	14	70	Mvron Cottage	Cloudy 71°		
133	7-1-14	6758 Academy Tr.	6	17	85	Mvron Cottage	Cloudy 71°		
134	7-1-14	6758 Academy Tr.	2	19	100	Mvron Cottage	Partly Sun 75°		
135	7-1-14	1617 Albany Ln.	4	11	50	Mvron Cottage	Sunny 75°		
136	7-9-14	1585 Marshfield	1	16	75	Mvron Cottage	Partly Sun 65°		
137	7-9-14	1585 Marshfield	3	18	90	Mvron Cottage	Partly Sun 65°		
138	7-9-14	1585 Marshfield	5	—					Bypass Lifting Sidewalk
139	7-9-14	1585 Marshfield	7	—					Bypass Lifting Sidewalk
140	7-9-14	1640 Albany W.	4	11	50	Mvron Cottage	Partly Sun 69°		*Slow uptake

EAB TREATMENTS - SW NE					PESTICIDE USED			ACTIVE INGREDIENT		
#	DATE	ADDRESS	CELL #	DBH "	QUANTITY INJECTED (M/LITERS)		APPLICATOR NAME	WEATHER CONDITIONS	HANSEN REQUEST #	COMMENTS
					TREE-AGE	IMMEMECTIN BENZOATE				
161	7-14-14	2209 Wembley Place	6	10						Marked + Letter Declining
162	7-14-14	2209 Wembley Place	21	14	70		Meyer Cottage	Bright Sun 72°		
163	7-15-14	6483 Muirfield Ln.	3	17	85		Meyer Cottage	Partly 53°		
164	7-15-14	6658 Old Hunter Run	6	19	100		Meyer Cottage	Partly 53°		
165	7-15-14	6235 Muirfield Ln.	3	14	70		Meyer Cottage	Partly 55°		(Add to List)
166	7-15-14	6235 Muirfield Cr.	6	14	70		Meyer Cottage	Partly 55°		(Add to List.)
167	7-15-14	6670 Timberline Ln.	1	10	50		Meyer Cottage	Partly 58° SE		(Add to List)
168	7-15-14	6636 Timberline Ln.	7	10	50		Meyer Cottage	Cloudy 58° ↓		(Add to List)
169	7-16-14	1205 Woodcreek Bend	10	9	40		Meyer Cottage	Cloudy 58°		
170	7-15-14	1205 Woodcreek Bend	12	9	40		Meyer Cottage	Cloudy 58°		
171	7-16-14	1303 Hill Crest Rd.	5	26	170		Meyer Cottage	Partly 52°		
172	7-16-14	1115 Charlotte Dr.				BYPass			Poor Condition Cell=1,3,6,7	
173	7-16-14	4909 Carta Cir	21	21	120		Meyer Cottage	Sunny 55°		
174	7-16-14	5005 Carol Ct.	2	19	100		Meyer Cottage	Sunny 60°		
175	7-16-14	721 Woodridge Dr.	12	22	135		Meyer Cottage	Sunny 64°		
176	7-16-14	5123 David Dr.	4	20	110		Meyer Cottage	Sunny 67°		
177	7-16-14	1214 Mandale Dr.	4	26	170		Meyer Cottage	Partly 69°		
178	7-17-14	4926 Orchard Ct.	3	14	70		Meyer Cottage	Cloudy 56°		(Add to List)
179	7-17-14	1104 Fieldcrest Dr.	6	5	25		Meyer Cottage	Cloudy 57°		(Add to List)
180	7-17-14	5614 Elaine Dr.	1	18	90		Meyer Cottage	Cloudy 62° ↓		(Add to List)
	7-17-14	5614 Elaine Dr.	5	18	90		Meyer Cottage	Cloudy 62°		

EAB TREATMENTS - SW NE					PESTICIDE USED			ACTIVE INGREDIENT	
#	DATE	ADDRESS	CELL #	DBH "	TREE-AGE			IMMEMECTIN BENZOATE	
					QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	HANSEN REQUEST #	COMMENTS
181	7-17-14	1254 Northcrest Dr.	1	13	70	Morton Cottage	Partly Sunny 71°		
182	7-17-14	1213 Northcrest Dr.	4	—					Bypass Lifting Sidewalk
183	7-17-14	55553 Tasseberry Ct.	10	16	75	Morton Cottage	Partly Sunny 71°		
184	7-18-14	415 S. Mulford Rd.	20	20	110	Morton Cottage	Partly Sunny 76°		
185	7-18-14	415 S. Mulford Rd.	21	9	40	Morton Cottage	Partly Sunny 76°		
186	7-18-14	415 S. Mulford Rd.	23	17	85	Morton Cottage	Partly Cloudy 76°		
187	7-18-14	415 S. Mulford Rd.	24	21	120	Morton Cottage	Partly Cloudy 76°		
188	7-18-14	415 S. Mulford Rd.	2	19	100	Morton Cottage	Partly Sunny 76°		
189	7-18-14	415 S. Mulford Rd.	3	16	75	Morton Cottage	Partly Cloudy 76°		
190	7-18-14	415 S. Mulford Rd.	4	16	75	Morton Cottage	Partly Cloudy 76°		
191	7-18-14	415 S. Mulford Rd	5	11	50	Morton Cottage	Partly Cloudy 76°		
192	7-18-14	415 S. Mulford Rd	6	16	75	Morton Cottage	Partly Cloudy 76°		
193	7-21-14	3227 Orleans Ave.	4	15	70	Morton Cottage	Sunny 63°		
194	7-21-14	812 Wood Rd	1	—			66' R.O.W.		
195	7-21-14	1915 23rd St.	23	23	150	Morton Cottage	Sunny 76°		
196	7-21-14	1915 23rd St.	19	19	100	Morton Cottage	Sunny 76°		
197	7-22-14	809 Highview Ave.	6	17	85	Morton Cottage	Cloudy 70°		
198	7-22-14	1623 Grant Ave. NW	23	11	50	Morton Cottage	Sunny 74°		Northwest Rockford
199	7-22-14	2125 Grant Ave	6	8	40	Morton Cottage	Cloudy 76°		
200	7-22-14	2315 Grant Ave.	6	11	50	Morton Cottage	Cloudy 76°		

Treat Bi-Annually ↗

↓

(Slow uptake)

(Very Slow uptake)

*Note Posted to tree (TruGreen)

EAB TREATMENTS - SW NW					PESTICIDE USED			ACTIVE INGREDIENT	
#	DATE	ADDRESS	CELL #	DBH "	TREE-AGE		IMMECTIN BENZOATE		COMMENTS
					QUANTITY INJECTED (M/LITERS)	APPLICATOR NAME	WEATHER CONDITIONS	HANSEN REQUEST #	
201	7-22-14	2300 Huffman Blvd.	West side	29	2.10	Myron Cottage	Cloudy 83°		
202	7-23-14	2300 Huffman Blvd.	West side	16	.75	Myron Cottage	Sunny 64°		
203	7-23-14	1807 Huffman Blvd.	4	17	.85	Myron Cottage	Sunny 67°		
204	7-23-14	1738 Hancock	7	9	.40	Myron Cottage	Sunny 69°		
205	7-23-14	2208 Oxford st	4	17	.85	Myron Cottage	Sunny 75°		
206	7-23-14	2016 Cumberland st.	2	9	.40	Myron Cottage	Sunny 75°		
207	7-24-14	707 Cottage Grove Ave	4	28	1.05	Myron Cottage	Sunny 58°		
208	7-24-14	519 Ellis Ave.	6	12	.50	Myron Cottage	Sunny 58°		
209	7-24-14	1935 Cumberland st.	2	12	.50	Myron Cottage	Sunny 63°		
210	7-24-14	6595 E-State st.	19			Myron Cottage	Sunny 73°		SE Rockford
211	7-24-14	6595 E-State st	20			Myron Cottage	BYPass	Vascular Stress	
212	7-24-14	6595 E-State st.	21	14	.70	Myron Cottage	Sunny 73°		
213	7-24-14	6595 E-State st.	23	13	.70	Myron Cottage	Sunny 73°		
214	7-24-14	3139 N. Trainer Rd.	6	14	.70	Myron Cottage	Sunny 78°		NE Rockford
215	7-25-14	3178 N. Trainer Rd.	4	13	.70	Myron Cottage	Cloudy 59°		
216	7-25-14	3238 N. Trainer Rd.	5						BYPass (Large Stor Damage Wound)
217	7-25-14	3238 N. Trainer	1	13	.70	Myron Cottage	Cloudy 59°		
218	7-25-14	3261 N. Trainer Rd	7	13	.70	Myron Cottage	Light rain 60°		
219	7-25-14	3261 N. Trainer Rd	4	14	.70	Myron Cottage	Light rain 60°		
220	7-25-14	3289 N. Trainer Rd.	3	13	.70	Myron Cottage	Cloudy 60°		

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Logs/Comments
95083	6/29/11	2505	REVELATION	6/29/11	FMISC-EAB	Cell 1, 13", 45ML, Jacobi, Cloudy/65, No problems	Completed by Jacobi, 6/23/11
95085	6/29/11	2505	REVELATION	6/29/11	FMISC-EAB	Cell 6, 10", 30ML, Jacobi, Cloudy/65, No problems	Completed by Jacobi, 6/23/11
95087	6/29/11	2523	REVELATION	6/29/11	FMISC-EAB	Cell 7, 13", 45ML x 2, Jacobi, Cloudy/65, Blowout 1st application, 2nd applicaiton - No problems	Completed by Jacobi, 6/23/11
95098	6/29/11	2551	REVELATION	6/29/11	FMISC-EAB	Cell 7, 15", 60ML, Jacobi, Cloudy/65, No problems	Completed by Jacobi, 6/23/11
95099	6/29/11	2563	REVELATION	6/29/11	FMISC-EAB	Cell 7, 17", 75ML, Jacobi, Cloudy/60, No problems	Complete by Jacobi 6/24/11
95100	6/29/11	2565	REVELATION	6/29/11	FMISC-EAB	Cell 1, 15", 60ML, Jacobi, Cloudy/60, No problems	Complete by Jacobi 6/24/11
95101	6/29/11	2617	REVELATION	6/29/11	FMISC-EAB	Cell 7, 17", 75ML, Jacobi, Cloudy/60, No problems	Complete by Jacobi 6/24/11
95102	6/29/11	2629	REVELATION	6/29/11	FMISC-EAB	Cell 7, 16", 55ML, Jacobi, P Cloudy/60, No problems	Complete by Jacobi 6/24/11
95104	6/29/11	2657	REVELATION	6/29/11	FMISC-EAB	Cell 7, 20", 110ML, Jacobi, P Cloudy/60, No problems	Complete by Jacobi 6/24/11
95108	6/29/11	3717	MAYWOOD	6/29/11	FMISC-EAB	Cell 6, 7", 20ML, Jacobi,Cloudy/65, No problems	Complete by Jacobi 6/24/11
95106	6/29/11	3904	LOOKOUT	6/29/11	FMISC-EAB	Cell 12, 7", 20ML, Jacobi,Cloudy/65, No problems	Complete by Jacobi 6/24/11
95107	6/29/11	3904	LOOKOUT	6/29/11	FMISC-EAB	Cell 13, 7", 20ML, Jacobi,Cloudy/65, No problems	Complete by Jacobi 6/24/11
95105	6/29/11	5087	VALLEY PINES	6/29/11	FMISC-EAB	Cell 1, 13", 45ML, Jacobi, P Cloudy/60, No problems	Complete by Jacobi 6/24/11
95110	6/29/11	5181	HOUSTON	6/29/11	FMISC-EAB	Cell 4, 17", 75ML, Jacobi,Cloudy/65, No problems	Complete by Jacobi 6/24/11
95112	6/29/11	3122	BREEZEWAY	6/29/11	FMISC-EAB	Cell 5, 17", 75ML, Jacobi,Cloudy/69, No problems	complete by Jacobi 6/27/11
95114	6/29/11	3475	HOLIDAY	6/29/11	FMISC-EAB	Cell 6, 7", 20ML, Jacobi,Sunny/71, No problems Cell 5, 17", 75ML, Jacobi,Sunny/78, No problems	complete by Jacobi 6/27/11
95115	6/29/11	4608	TREVOR	6/29/11	FMISC-EAB	Cell 5, 11", 40ML, Jacobi,Cloudy/69, No problems	complete by Jacobi 6/27/11
95111	6/29/11	4826	ANTIOCH	6/29/11	FMISC-EAB	Cell 19A, 8", 25ML, Jacobi,Sunny/65, No problems	complete by Jacobi 6/27/11
95116	6/29/11	1212	ASCHE	6/29/11	FMISC-EAB	Cell 19B, 8", 25ML, Jacobi,Sunny/65, No problems	Complete by Jacobi, 6/28/11
95117	6/29/11	1212	ASCHE	6/29/11	FMISC-EAB	Cell 19B, 8", 25ML, Jacobi,Sunny/65, No problems	Complete by Jacobi, 6/28/11

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Log/Comments
95457	7/6/11	1212	ASCHE	7/6/11	FMISC-EAB	6/28/11, cell 20A, 6", 20ML, Jacobi, 65/Sunny, Good cond.	Jacobi completed 6/28/11
95458	7/6/11	1212	ASCHE	7/6/11	FMISC-EAB	6/28/11, cell 20B, 7", 20ML, Jacobi, 65/Sunny, Good cond.	Jacobi completed 6/28/11
95459	7/6/11	1212	ASCHE	7/6/11	FMISC-EAB	6/28/11, cell 21B, 6", 20ML, Jacobi, 67/Sunny, Good cond.	Jacobi completed 6/28/11
95460	7/6/11	1212	ASCHE	7/6/11	FMISC-EAB	6/28/11, cell 23A, 8", 25ML, Jacobi, 67/Sunny, Good cond.	Jacobi completed 6/28/11
95461	7/6/11	1212	ASCHE	7/6/11	FMISC-EAB	6/28/11, cell 24A, 8", 25ML, Jacobi, 37/Sunny, Good cond.	Jacobi completed 6/28/11
95467	7/6/11	3230	PYRAMID	7/6/11	FMISC-EAB	6/29/11, cell 20, 14", 50ML, Jacobi, 73/Sunny, Good cond.	complete. Jacobi 6/29/11
95468	7/6/11	3230	PYRAMID	7/6/11	FMISC-EAB	6/29/11, cell 22, 13", 45ML, Jacobi, 73/Sunny, Good cond.	complete. Jacobi 6/29/11
95470	7/6/11	3230	PYRAMID	7/6/11	FMISC-EAB	6/29/11, cell 24, 15", 60ML, Jacobi, 73/Sunny, X2 - Blowout.	complete. Jacobi 6/29/11
95464	7/6/11	3469	PRECISION	7/6/11	FMISC-EAB	6/29/11, cell 3, 16", 65ML, Jacobi, 67/Sunny, Good cond.	complete. Jacobi 6/29/11
95465	7/6/11	3469	PRECISION	7/6/11	FMISC-EAB	6/29/11, cell 4, 15", 60ML, Jacobi, 67/Sunny, Good cond.	complete. Jacobi 6/29/11
95466	7/6/11	3469	PRECISION	7/6/11	FMISC-EAB	6/29/11, cell 6, 13", 45ML, Jacobi, 67/Sunny, Good cond.	complete. Jacobi 6/29/11
95473	7/6/11	4217	OCONNELL	7/6/11	FMISC-EAB	6/30/11, cell 3, 15", 60ML, Jacobi, 72/Sunny, Good Cond	complete. Jacobi, 6/30/11
95474	7/6/11	4308	MAYFLOWER	7/6/11	FMISC-EAB	6/30/11, cell 1, 18", 80ML, Jacobi, 77/Sunny, Good Cond	complete. Jacobi, 6/30/11
95475	7/6/11	4309	RED COAT	7/6/11	FMISC-EAB	6/30/11, cell 3, 29", 210ML, Jacobi, 79/Sunny, Good Cond	complete. Jacobi, 6/30/11
95471	7/6/11	5060	27TH	7/6/11	FMISC-EAB	6/30/11, cell 1, 18", 80ML, Jacobi, 66/Sunny, Good Cond	complete. Jacobi, 6/30/11
95481	7/6/11	3310	JACQUELINE	7/6/11	FMISC-EAB	7/1/11, cell 8, 7", 20ML, Jacobi, 80/Cloudy, Good Cond	complete. Jacobi 7/1/11
95478	7/6/11	3351	TANNENBAUM	7/6/11	FMISC-EAB	7/1/11, cell 5, 15", 60ML, Jacobi, 79/Cloudy, Good Cond	complete. Jacobi 7/1/11
95479	7/6/11	3404	JACQUELINE	7/6/11	FMISC-EAB	7/1/11, cell 2, 14", 50ML, Jacobi, 79/Cloudy, Good Cond	complete. Jacobi 7/1/11
95480	7/6/11	3404	JACQUELINE	7/6/11	FMISC-EAB	7/1/11, cell 4, 14", 50ML, Jacobi, 79/Cloudy, Good Cond	complete. Jacobi 7/1/11
95477	7/6/11	4329	MAJESTY	7/6/11	FMISC-EAB	7/1/11, cell 2, 21", 120ML, Jacobi, 77/Sunny, Good Cond	complete. Jacobi 7/1/11
99302	8/10/11	3003	GREENDALE	8/26/11	FMISC-EAB	TREAT FOR EAB	JACOBI TREATED 1 UNIT

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Logs/Comments
99302	8/10/11	3003	GREENDALE	8/26/11	FMISC-EAB	TREAT FOR EAB	DUP OF 100087
99304	8/10/11	2810	NORTHMOOR	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	JACOBI TREATED 1 TREE
99304	8/10/11	2810	NORTHMOOR	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	DUP OF 100088
99308	8/10/11	2920	NORTHMOOR	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	JACOBI TREATED 1 TREE
99308	8/10/11	2920	NORTHMOOR	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	DUP OF 100091
99310	8/10/11	2722	COLORADO	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	JACOBI TREATED 1 TREE
99310	8/10/11	2722	COLORADO	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	DUP OF 100093
99321	8/11/11	2617	BEAUMONT	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	FOR EAB
99321	8/11/11	2617	BEAUMONT	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	DUP OF 100094
99322	8/11/11	2706	OHIO	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	FOR EAB
99322	8/11/11	2706	OHIO	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	DUP OF 100097
99325	8/11/11	5020	UPLAND	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	FOR EAB
99325	8/11/11	5020	UPLAND	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	DUP OF 100100
99323	8/11/11	5112	UPLAND	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	FOR EAB
99323	8/11/11	5112	UPLAND	8/26/11	FMISC-EAB	TREAT TREE FOR EAB	DUP OF 100098
99883	8/15/11	4503	UPLAND	9/1/11	FMISC-EAB	EAB TREATMENT - 1 TREE	FOR EAB
99883	8/15/11	4503	UPLAND	9/1/11	FMISC-EAB	EAB TREATMENT - 1 TREE	DUP OF 100101
99884	8/15/11	4511	UPLAND	9/1/11	FMISC-EAB	EAB TREATMENT - 1 TREE	FOR EAB
99884	8/15/11	4511	UPLAND	9/1/11	FMISC-EAB	EAB TREATMENT - 1 TREE	DUP OF 100103
99886	8/15/11	2315	HOLMES	9/1/11	FMISC-EAB	EAB TREATMENT - 1 TREE	FOR EAB
99886	8/15/11	2315	HOLMES	9/1/11	FMISC-EAB	EAB TREATMENT - 1 TREE	DUP OF 100104
99885	8/15/11	4612	UPLAND	9/1/11	FMISC-EAB	EAB TREATMENT - 1 TREE	FOR EAB
99885	8/15/11	4612	UPLAND	9/1/11	FMISC-EAB	EAB TREATMENT - 1 TREE	DUP OF 100106
99944	8/15/11	2200	HOLMES	9/2/11	FMISC-EAB	TREAT ASH TREE FOR EAB	FOR EAB
99944	8/15/11	2200	HOLMES	9/2/11	FMISC-EAB	TREAT ASH TREE FOR EAB	Not a dupe, but closed as dupe - should have never been entered, need all data on specific tree, can't pinpoint 1 tree on this address.
100109	9/6/11	2303	WINNETKA	9/6/11	FMISC-EAB	cell 5, 15", 60 ML, Jacobi, 65/sunny, good cond	complete. Jacobi
100104	9/6/11	2315	HOLMES	9/6/11	FMISC-EAB	cell 2, 21", 120 ML, Jacobi, 68/sunny, good cond	complete. Jacobi
100079	9/6/11	2606	COLORADO	9/6/11	FMISC-EAB	cell 3, 15", 60ML, Jacobi, 71/sunny, good cond	complete. Jacobi

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Logs/Comments
100085	9/6/11	2615	BUCKNELL	9/6/11	FMISC-EAB	cell 1, 22", 135ML, Jacobi, 73/Coudy good cond	complete. Jacobi
100094	9/6/11	2617	BEAUMONT	9/6/11	FMISC-EAB	cell 3, 31", 240ML, Jacobi, 55/sunny, good cond	complete. Jacobi
100097	9/6/11	2706	OHIO	9/6/11	FMISC-EAB	cell 10, 29", 210 ML, Jacobi, 65/sunny, good cond	complete. Jacobi
100093	9/6/11	2722	COLORADO	9/6/11	FMISC-EAB	cell 5, 15", 60ML, Jacobi, 71/sunny, good cond	complete. Jacobi
100075	9/6/11	2801	EDELWEISS	9/6/11	FMISC-EAB	cell 6, 20", 110ML, Jacobi, 82/sunny, good cond	complete. Jacobi
100077	9/6/11	2804	EDELWEISS	9/6/11	FMISC-EAB	cell 4, 17", 75ML, Jacobi, 82/sunny, good cond	complete. Jacobi
100088	9/6/11	2810	NORTHMOOR	9/6/11	FMISC-EAB	cell 2, 20", 110 ML, Jacobi, 63/sunny, good cond	complete. Jacobi
100081	9/6/11	2906	CONCORDIA	9/6/11	FMISC-EAB	cell 4, 27", 180 ML, Jacobi, 71/cloudy, good cond	complete. Jacobi
100091	9/6/11	2920	NORTHMOOR	9/6/11	FMISC-EAB	cell 1, 15", 60 ML, Jacobi, 71/sunny, good cond	complete. Jacobi
100087	9/6/11	3003	GREENDALE	9/6/11	FMISC-EAB	cell 4, 17", 75ML, Jacobi, 59/Sunny, good cond	complete. Jacobi
100078	9/6/11	3009	FOLIAGE	9/6/11	FMISC-EAB	cell 3, 14", 50ML, Jacobi, 71/Sunny, Good cond	complete. Jacobi
100083	9/6/11	3223	NEW ENGLAND	9/6/11	FMISC-EAB	cell 3, 29", 210 ML, Jacobi, 66/Cloudy, Good cond	complete. Jacobi
100073	9/6/11	3306	JACQUELINE	9/6/11	FMISC-EAB	Cell 4, 9", 30ML, Jacobi, 66/Sunny, Good Cond	complete. Jacobi
						Cell 10, 13", 45ml, Jacobi, 80/Cloudy, Good Cond	
100071	9/6/11	3310	JACQUELINE	9/6/11	FMISC-EAB	Cell 12, 7", 20ml, Jacobi, 80/Cloudy, Good Cond	complete. Jacobi
100074	9/6/11	3315	JACQUELINE	9/6/11	FMISC-EAB	Cell 2, 18", 80ML, Jacobi, 78/Sunny, Good Cond	complete. Jacobi
100101	9/6/11	4503	UPLAND	9/6/11	FMISC-EAB	cell 7, 14", 50ML, Jacobi, 56/sunny, good cond	complete. Jacobi
100103	9/6/11	4511	UPLAND	9/6/11	FMISC-EAB	cell 5, 17", 75ML, Jacobi, 56/Sunny, Good cond	complete. Jacobi
100106	9/6/11	4612	UPLAND	9/6/11	FMISC-EAB	cell 10, 18", 80ML, Jacobi, 60/sunny, good cond	complete. Jacobi
100110	9/6/11	4628	CLEVELAND	9/6/11	FMISC-EAB	cell 1, 19", 90ML, 70/sunny, good cond	complete. Jacobi
100108	9/6/11	4804	UPLAND	9/6/11	FMISC-EAB	cell 24, 17", 75ML, Jacobi, 60/Sunny, good cond	complete. Jacobi

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Logs/Comments
100100	9/6/11	5020	UPLAND	9/6/11	FMISC-EAB	cell 3, 16", 65ML, Jacobi, 74/sunny, good cond	complete. Jacobi
100098	9/6/11	5112	UPLAND	9/6/11	FMISC-EAB	cell 4, 11", 40ML, Jacobi, 73/sunny, good cond	complete. Jacobi
100132	9/6/11	1517	KERSTIN	9/6/11	FMISC-EAB	cell 2, 21", 120ML, Jacobi, 55/sunny, good cond	complete. Jacobi
100131	9/6/11	1520	KERSTIN	9/6/11	FMISC-EAB	cell 3, 19", 90ML, Jacobi, 55/Sunny, good cond	complete. Jacobi
100127	9/6/11	1522	POWDERHORN	9/6/11	FMISC-EAB	cell 4, 18", 80ML Jacobi, 60/sunny, good cond cell 21, 16", 65ML, Jacobi, 60/sunny, good cond	complete. Jacobi
100133	9/6/11	1532	KERSTIN	9/6/11	FMISC-EAB	cell 4, 21", 120ML, Jacobi, 69/sunny, good cond	complete. Jacobi
100117	9/6/11	1601	HIGHRIDGE	9/6/11	FMISC-EAB	cell 1, 13", 45ML, Jacobi, 72/sunny, good cond	complete. Jacobi
100124	9/6/11	1619	ARNOLD	9/6/11	FMISC-EAB	cell 12, 16", 65ML, Jacobi, 70/sunny, good cond	complete. Jacobi
100122	9/6/11	1669	TELEMARK	9/6/11	FMISC-EAB	cell 4, 19", 90ML, Jacobi, 61/sunny, good cond cell 6, 17", 75ML, Jacobi, 61/sunny, good cond	complete. Jacobi
100121	9/6/11	1720	TELEMARK	9/6/11	FMISC-EAB	cell 4, 24", 155ML, Jacobi, 80/sunny, good cond	complete. Jacobi
100115	9/6/11	1806	HIGHRIDGE	9/6/11	FMISC-EAB	cell 1, 13", 45ML, Jacobi, 68/sunny, good cond cell 6, 12", 40ML, Jacobi, 68/sunny, good cond	complete. Jacobi
100134	9/6/11	1817	ARNOLD	9/6/11	FMISC-EAB	cell 4, 15", 60ML, Jacobi, 73/sunny, did not take full dose	complete. Jacobi
100118	9/6/11	1904	HIGHRIDGE	9/6/11	FMISC-EAB	cell 1, 12", 40ML, Jacobi, 77/sunny, good cond cell 5, 12", 40ML, Jacobi, 77/sunny, good cond	complete. Jacobi
100120	9/6/11	1999	SANTA MONICA	9/6/11	FMISC-EAB	cell 1, 19", 90ML, Jacobi, 75/sunny, good cond	complete. Jacobi
100112	9/6/11	2516	SKOKIE	9/6/11	FMISC-EAB	cell 4, 12", 40ML, 73/sunny, good cond	complete. Jacobi
100113	9/6/11	2528	SKOKIE	9/6/11	FMISC-EAB	cell 4, 20", 110 ML, 77/sunny, good cond	complete. Jacobi
100128	9/6/11	5321	CYBELE	9/6/11	FMISC-EAB	cell 4, 15", 60ML, Jacobi, 63/sunny, good cond cell 5, 17", 75ML, Jacobi, 63/sunny, Did not take full dose	complete. Jacobi
100129	9/6/11	5326	CYBELE	9/6/11	FMISC-EAB		complete. Jacobi

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Logs/Comments
100114	9/6/11	5334	DIERKS	9/6/11	FMISC-EAB	5334 Dierks - cell 19, 11", 40ML, Jacobi, 64/sunny, good cond 5362 Dierks - cell 13, 12", 40ML, Jacobi, 64/sunny, good cond 5345 Dierks - cell 5, 10", 30ML, Jacobi, 66/sunny, good cond 5386 Dierks - cell 2, 11", 40ML, Jacobi, 70/sunny, good cond	complete. Jacobi
100126	9/6/11	5340	FOREST VIEW	9/6/11	FMISC-EAB	cell 6, 16", 65ML, Jacobi, 70/sunny, good cond	complete. Jacobi
100119	9/6/11	6677	GRASSRIDGE	9/6/11	FMISC-EAB	cell 2, 16", 65ML, Jacobi, 69/cloudy, good cond cell 4, 17", 75ML, Jacobi, 69/Cloudy, good cond	complete. Jacobi
100141	9/6/11	1836	APPLE TREE	9/6/11	FMISC-EAB	cell 4, 14", 50ML, Jacobi, 69/cloudy, good cond	complete. Jacobi
100138	9/6/11	4603	LONGMEADOW	9/6/11	FMISC-EAB	cell 5, 20", 110ML, Jacobi, 59/cloudy, good cond	complete. Jacobi
100140	9/6/11	4607	NEWCASTLE	9/6/11	FMISC-EAB	cell 4, 14", 50ML, Jacobi, 69/cloudy, good cond	complete. Jacobi
100137	9/6/11	4628	LONGMEADOW	9/6/11	FMISC-EAB	cell 5, 12", 40ML, Jacobi, 75/sunny, good cond	complete. Jacobi
100142	9/6/11	4635	NEWCASTLE	9/6/11	FMISC-EAB	cell 5, 20", 110ML, Jacobi, 69/cloudy, good cond	complete. Jacobi
110573	3/21/12	533	HILTON	3/21/12	FMISC-EAB	Property Owner paid Tree Care to treat 25" Green Ash in cell 1 with soil drench.	RFS for documentation purposes only
112510	4/23/12	1372	BOILVIN	4/23/12	FMISC-EAB	Treat ash in cell 5	(OOPS)
112513	4/23/12	2120	HARLEM	4/23/12	FMISC-EAB	38" Green Ash, cell 3. Tree Care treated at property owner's expense. RFS Created for tracking purposes only.	No action taken, RFS was only to document Tree Care's treatment of the tree.
115764	5/21/12	1303	HILLCREST	6/5/12	FMISC-EAB	Cell 5, 22" DBH, 135ml, Jacobi, Sunny, 55'	Jacobi
116014	5/21/12	875	STONEFIELD	6/7/12	FMISC-EAB	Cell 3, 9" DBH, 30ml, Jacobi, Sunny/66'	Jacobi, Route 1
115770	5/22/12	1214	MONDALE	6/5/12	FMISC-EAB	Cell 4, 25", 160ml, Jacobi, Sunny/65'	Jacobi
115781	5/22/12	1218	ARNOLD	6/5/12	FMISC-EAB	Cell 2, 16" DBH, 65ml, Jacobi, Sunny/60'	Jacobi
115782	5/22/12	1218	ARNOLD	6/5/12	FMISC-EAB	Cell 4, 17" DBH, 75ml, Jacobi, Sunny/60' cell 4, 25" DBH, 100ml, Jacobi, Sunny/52'	Jacobi
115769	5/22/12	4830	ORCHARD	6/5/12	FMISC-EAB	Route 1	Jacobi
115774	5/22/12	5123	DAVID	6/5/12	FMISC-EAB	Cell 4, 18" DBH, 80ml, Jacobi, Sunny/70'	Jacobi

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Logs/Comments
115768	5/22/12	721	WOODRIDGE	6/5/12	FMISC-EAB	cell 12, 20" DBH, 110ml, Jacobi, Sunny/63'	Jacobi
115778	5/23/12	1115	CHARLOTTE	6/5/12	FMISC-EAB	Call 3, 19" DBH, 90ml, Jacobi, Sunny/64'	Jacobi
115776	5/23/12	4909	CARLA	6/5/12	FMISC-EAB	Cell 21, 19" DBH, 90ml, Jacobi, Sunny/60'	Jacobi
115775	5/23/12	5005	CAROL	6/5/12	FMISC-EAB	Cell 2, 18" DBH, 80ml, Jacobi, Sunny/57'	Jacobi
115786	5/24/12	1190	REVERE RIDGE	6/5/12	FMISC-EAB	Cell 1, 11" DBH, 40ml, JACOBI, Sunny/75'	Jacobi
115785	5/24/12	1252	ANEE	6/5/12	FMISC-EAB	Cell 1, 15" DBH, 60ml, Jacobi, Sunny/75'	Jacobi
115914	5/24/12	1308	REVERE RIDGE	6/7/12	FMISC-EAB	Cell 7, 18", 80ml, Jacobi, Sunny/75'	Jacobi
115913	5/24/12	1309	REVERE RIDGE	6/7/12	FMISC-EAB	Cell 5, 16" DBH, 65ml, Jacobi, Sunny/75'	Jacobi
115915	5/24/12	1364	REVERE RIDGE	6/7/12	FMISC-EAB	Cell 4, 14" DBH, 50ml, Jacobi, Sunny/84'	Jacobi
115916	5/24/12	1377	REVERE RIDGE	6/7/12	FMISC-EAB	Cell 24, 11" DBH, 40ml, Jacobi, Sunny/84'	Jacobi
115784	5/24/12	415	MULFORD	6/5/12	FMISC-EAB	Cell 3, DBH 15, Qty Injected (ml) 60, Applicator JACOBI, Weather Cond Sunny/68', 6, 15, 60, JACOBI, Sunny/68', 20, 18, 80, JACOBI, Sunny/80', 21, 9, 30, JACOBI, Sunny/79', 23, 16, 65, JACOBI, Sunny/79'	Jacobi
115783	5/24/12	5614	ELAINE	6/5/12	FMISC-EAB	Cell 5, 17" DBH, 75ml, Jacobi, Sunny/72'	Jacobi
115917	5/25/12	6652	TIMBERLINE	6/7/12	FMISC-EAB	Cell 6, 12" DBH, 40ml, Jacobi, Sunny/86'	Jacobi
115922	5/25/12	6655	TIMBERLINE	6/7/12	FMISC-EAB	Cell 7, 11" DBH, 40ml, Jacobi, Sunny/86'	Jacobi
116001	5/29/12	1205	WOODCREEK	6/7/12	FMISC-EAB	Cell 10, 7" DBH, 20ml, Jacobi, Sunny/77'	Jacobi
116002	5/29/12	1205	WOODCREEK	6/7/12	FMISC-EAB	Cell 12, 7" DBH, 20ml, Jacobi, Sunny/77'	Jacobi
115942	5/29/12	1338	BRANDYWINE	6/7/12	FMISC-EAB	Call 6, 13" BDH, 45ml, Jacobi, Sunny/69'	Jacobi
115940	5/29/12	6643	SANDALWOOD	6/7/12	FMISC-EAB	Cell 6, 9" DBH, 30ml, Jacobi, Sunny/60'	Jacobi

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Log/Comments
115938	5/29/12	6648	SANDALWOOD	6/7/12	FMISC-EAB	Cell 1, 15" DBH, 60ml, Jacobi, Sunny/60'	Jacobi
115935	5/29/12	6683	SANDALWOOD	6/7/12	FMISC-EAB	Cell 3, 15" DBH, 60ml, Jacobi, Sunny/60'	Jacobi
115937	5/29/12	6683	SANDALWOOD	6/7/12	FMISC-EAB	Cell 21, 14" DBH, 50ml, Jacobi, Sunny/60'	Jacobi
116008	5/29/12	894	TRAINER	6/7/12	FMISC-EAB	cell 4, 8" DBH, 25ml, Jacobi, Sunny/79'	Jacobi
116006	5/30/12	1009	TRAINER	6/7/12	FMISC-EAB	Cell 7, 11" DBH, 40ml, Jacobi, Sunny/61'	Jacobi
116007	5/30/12	943	TRAINER	6/7/12	FMISC-EAB	Cell 2, 7" DBH, 20ml, Jacobi, Sunny/61'	Jacobi
116004	6/1/12	6364	SPRING HILL	6/7/12	FMISC-EAB	Cell 19, 13" DBH, 45ml, Jacobi, Sunny/59'	Jacobi
116005	6/1/12	6364	SPRING HILL	6/7/12	FMISC-EAB	Cell 20, 16" DBH, 65ml, Jacobi, Sunny/75'	Jacobi
116011	6/1/12	6673	SOUTHFIELD	6/7/12	FMISC-EAB	Cell 3, 11" DBH, 40ml, Jacobi, P Cloudy	Jacobi, Route 1
116013	6/1/12	895	ANEE	6/7/12	FMISC-EAB	Cell 5, 11" DBH, 40ml, Jacobi, Sunny/48'	Jacobi, Route 1
116010	6/1/12	913	CANDLEFORD	6/7/12	FMISC-EAB	Cell 5, 18" DBH, 80ml, Jacobi, Sunny/51'	Jacobi, Route 1
116009	6/1/12	949	BRITANNIA	6/7/12	FMISC-EAB	Cell 4, 9" DBH, 30ml, Jacobi, Sunny/53'	Jacobi, Route 1
116012	6/1/12	954	ANEE	6/7/12	FMISC-EAB	Cell 2, 13" DBH, 45ml, Jacobi, Sunny/48' Treated Ash with TREE-AGE CELL 6 8" DBH 25ml Sunny/70	Jacobi, Route 1
117479	6/11/12	1150	FOX CHASE	6/28/12	FMISC-EAB	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage	

RPS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Logs/Comments
117476	6/11/12	1213	NORTH CREST	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 5 9" DBH 30ml Sunny/60	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117475	6/11/12	1254	NORTH CREST	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 1 11" DBH 40ml Sunny/67	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117465	6/11/12	1340	LIVINGSTON	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 5 10" 30mlSunny/60	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117470	6/11/12	1357	SANDHURST	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 2 8" DBH 25ml Sunny/65	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
112509	6/11/12	1372	BOILVIN	4/23/12	FMISC-EAB	Treat Ash in cell 5	Closed as dup of 112509. (OOPS)
112509	6/11/12	1372	BOILVIN	4/23/12	FMISC-EAB	Treat Ash in cell 5	OOPS - Cattage went to address - property owner paid Tree Care to treat the tree.
117466	6/11/12	1404	LIVINGSTON	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 4 11" DBH 40ml Sunny/60	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117469	6/11/12	1431	SANDHURST	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 3 12" DBH 40ml Sunny/65	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117467	6/11/12	1434	LIVINGSTON	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 4 11" DBH 40ml Sunny/60	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Log/Comments
117468	6/11/12	1460	LIVINGSTON	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 4 7" DBH 20ml Sunny/65	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117464	6/11/12	1463	RAMSEY	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 3 21" DBH 120ml Sunny/73	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117456	6/11/12	1552	OAKFOREST	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 6 11" DBH 40ml Sunny/63	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117502	6/11/12	1585	MARSHFIELD	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 3 16" DBH 65ml Cloudy/77 Treated Ash with TREE-AGE CELL 7 17" DBH 75ml Cloudy/77	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117458	6/11/12	1608	OAKFOREST	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 4 11" DBH 40ml Sunny/62	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117480	6/11/12	1617	ALBANY	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 4 9" DBH 30ml Sunny/73	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117481	6/11/12	1640	ALBANY	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 4 9" DBH 30ml Sunny/73	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Log/Comments
117463	6/11/12	1648	ROWNTREE	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 7 11" DBH 40ml Sunny/60	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117494	6/11/12	2042	WEMBLEY	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 2 15" DBH 60ml Sunny/73 Treated Ash with TREE-AGE CELL 5 15" DBH 60ml Sunny/73	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117493	6/11/12	2082	WEMBLEY	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 5 16" DBH 65ml Sunny/68	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117492	6/11/12	2130	WEMBLEY	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 7 14" DBH 50ml Sunny/67	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117495	6/11/12	2141	CARRINGTON	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 4 14" DBH 50ml Sunny/78	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117490	6/11/12	2172	WEMBLEY	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 2 13" DBH 45ml Sunny/65	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117496	6/11/12	2187	CARRINGTON	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 4 15" DBH 60ml Sunny/78	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Logs/Comments
117488	6/11/12	2209	WEMBLEY	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 20 13" DBH 45ml Sunny/75	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117489	6/11/12	2210	WEMBLEY	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 3 13" DBH 45ml Sunny/55	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117487	6/11/12	6244	FEATHERSTONE	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 2 10" DBH 30ml Sunny/74	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117500	6/11/12	6333	BRIGANTINE	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 5 13" DBH 45ml Sunny/72	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117498	6/11/12	6358	BRIGANTINE	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 2 11" DBH 40ml Sunny/72	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117486	6/11/12	6459	SHILOH	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 2 10" DBH 30ml Sunny/71	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117483	6/11/12	6758	ACADEMY	6/28/12	FMISC-EAB	CELL 2 16" DBH 65ml Sunny/55 Treated Ash with TREE-AGE	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117482	6/11/12	6835	CODY	6/28/12	FMISC-EAB	Ash with TREE-AGE CELL 4 21" DBH 120ml Sunny/55	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Logs/Comments
117484	6/11/12	6951	ACADEMY	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 2 11" DBH 40ml Sunny/55	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
111683	6/11/12	707	COTTAGE GROVE	4/5/12	FMISC-EAB	Treat for EAB	Treated. .26" DBH, 170ml. Cattage
117462	6/11/12	7085	SENTINEL	6/28/12	FMISC-EAB	CELL 3 14" DBH 50ml Sunny/72 Treated Ash with TREE-AGE	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117461	6/11/12	7090	SENTINEL	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 4 13" DBH 45ml Sunny/72	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117477	6/11/12	7112	WEATHERED OAK	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 6 9" DBH 30ml Sunny/52	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117478	6/11/12	7150	WEATHERED OAK	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 7 8" DBH 25ml Sunny/52	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117474	6/11/12	7217	CENTENNIAL	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 6 9" DBH 30ml Sunny/52	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117460	6/11/12	7218	SENTINEL	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 5 12" DBH 40ml Sunny/71	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Logs/Comments
117459	6/11/12	7236	SENTINEL	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 4 14" DBH 50ml Sunny/71	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117473	6/11/12	7353	FAIRMONT	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 12 10" DBH 30ml Sunny/75	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117472	6/11/12	7380	FAIRMONT	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 3 10" DBH 30ml Sunny/65	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
117471	6/11/12	7412	FAIRMONT	6/28/12	FMISC-EAB	Treated Ash with TREE-AGE CELL 6 10" DBH 30ml Sunny/65	EAB Treatment of Route 13 completed 6/11/12 by Jacobi/Cattage
110292	6/12/12	1915	23RD	3/16/12	FMISC-EAB	P/B LARSON inspection - treat ash trees in ROW @ address for EAB.	CCR Request form Ald Johnson again. Homeowners think one of the trees looks bad. Brandon will call Adl Johnson.
110292	6/12/12	1915	23RD	3/16/12	FMISC-EAB	P/B LARSON inspection - treat ash trees in ROW @ address for EAB.	Cell 19, 90ml, cell 23 - 150ml
118118	6/12/12	6483	MUIRFIELD	7/11/12	FMISC-EAB	Treated 1 tree. 3 15" B Jacobi Sunny/61	complete.
118117	6/12/12	6658	OLD HUNTERS	7/11/12	FMISC-EAB	Treated 1 tree. 5 17" 75 B Jacobi Sunny/75	Complete.
111770	6/12/12	809	HIGHVIEW	4/9/12	FMISC-EAB	Treat Ash Tree	Cattage/Loudermilk
116172	6/13/12	1738	HANCOCK	6/11/12	FMISC-EAB	Green Ash, cell 8", No Wires. Treat for EAB	30mol. & Cattage.

RFS #	Date Completed	Address/Block	Street	Date Added	Problem Code	Comments	Logs/Comments
116174	6/13/12	1935	CUMBERLAND	6/11/12	FMISC-EAB	Green Ash, 10" DBH, cell 2, wires (telecom - OK). Treat for EAB	30ml. Cattage.
116175	6/13/12	2016	CUMBERLAND	6/11/12	FMISC-EAB	EAB	25ml. Cattage
116184	6/13/12	2125	GRANT	6/11/12	FMISC-EAB	GREEN ASH, 7" DBH, CELL 7, NO WIRES. TREAT FOR EAB.	20ml. Cattage
116179	6/13/12	2205	HANCOCK	6/11/12	FMISC-EAB	GREEN ASH, 16" DBH, CELL 6, NO WIRES, TREAT FOR EAB	65ml. Cattage
116177	6/13/12	2208	OXFORD	6/11/12	FMISC-EAB	Green Ash, 16" DBH, CELL 4, NO WIRES. TREAT FOR EAB	65ml. Cattage
116183	6/13/12	2315	GRANT	6/11/12	FMISC-EAB	GREEN ASH, 10" dbh, CELL 7, NO WIRES. TREAT FOR EAB.	30ml. Cattage
116181	6/14/12	518	ELLIS	6/11/12	FMISC-EAB	GREEN ASH, 9" DBH, CELL 6, NO WIRES. TREAT FOR EAB.	Cell 11. 40ml. Cattage
121466	6/22/12	5553	TASSELBURY	8/29/12	FMISC-EAB	Cell # 10 DBH - 15" Qty Injected (ml) 60 Applicator Name - CATTAGE Weather Conditions -Sunny/76	Cattage completed.
117136	6/28/12	1623	GRANT	6/25/12	FMISC-EAB	Autumn P. Ash. 9" DBH, cell 23, wires. Treat for EAB. Mark Stockman	Complete. Cattage. Cell 23, 9" DBH, 30ml, Sunny/80'
117193	6/28/12	1807	HUFFMAN	6/25/12	FMISC-EAB	Treat 17" Ash in cell 5 for EAB.	Complete Cattage. Cell 5, 17", 75ml, sunny/80'
116910	6/28/12	3227	ORLEANS	6/20/12	FMISC-EAB	treat for EAB	Completed. Cattage. Cell 4, 14" DBH, 50ml, Sunny/86'
117385	7/2/12	2300	HUFFMAN	6/27/12	FMISC-EAB	Treat 2 Green Ash trees for EAB. 16" DBH in cell 2N; 24" DBH in cell 4S.	treated 2 Ash trees 86'/Sunny Cattage/Loudermilk Cell 4S 155ml
118293	7/13/12	1122	WINNEBAGO	7/12/12	FMISC-EAB	Treat 45" DBH White Ash in cell 1.	EAB treatment. White Ash, cell 1, 45" DBH, 450ml - TreeAge. Sunny/63'. Jacobi.
121413	8/23/12	812	WOOD	8/29/12	FMISC-EAB	Property owner hired True Green to treat the ash tree in front of his house. Wants it inspected and to know that it won't be taken down.	Inspected by Brandon Larson. OK to stay. 8" DBH, cell 1, no wires.